

NSX Series

- High performance with a wide range of interchangeable trip units to protect most applications
- Can be equipped with MA or TM thermal magnetic trip units or Micrologic 2/5/6 electronic trip units to provide protection against short circuits and overloads
- Complies with many marine classifications including: Veritas, Lloyd's Register of Shipping, Det Norske Veritas



NSX SERIES

Item Number	Pole	Ratings	Series	Price
LV429003	3	36kA 380/415V	100	\$938.55
LV430403	3	36kA 380/415V	160	\$740.00
LV431390	3	25kA 380/415V	250	\$940.00
LV431403	3	36kA 380/415V	250	\$1,200.00
LV432413	3	36ka 380/415	400	\$1,311.20
LV432403	3	50ka 380/415	400	\$1,814.00

Trip Units

- Thermal magnetic or electronic
- Accurate measurement for complete protection
- Torque limiting screws
- Easy and sure changing of trip units
- "Ready" LED for a continuous self-test



THERMAL MAG TRIP UNIT




SHUNT TRIP



UVR



MOTOR MODULE



AUX. CONTACTS

Item Number	Pole	Amps	Series	Price
Thermal-Mag Trip Unit				
LV429031	3P	80	100	\$301.00
LV429030	3P	100	100	\$342.19
LV430431	3P	125	160	\$327.84
LV430430	3P	160	160	\$540.00
LV431431	3P	200	250	\$584.80
LV431430	3P	250	250	\$696.97
Micro Logic Trip Unit				
LV429070	3P	2.2 100A	100/160/250	\$825.00
LV430470	3P	2.2 160A	100/160/250	\$867.00
LV431470	3P	2.2 250A	250	\$940.00
LV432081	3P	2.3, 400 LSI	400	\$1,560.00

Images are representative of products listed and may not be actual product.

Circuit Breakers

SCHNEIDER + MERLIN GERIN

NSX Series (Continued)

Item Number	Ratings	Series	Price
Auxiliary Contacts			
MG29450	AUX CONT BLK	100/160/250/400	\$90.53
Shunt Trip			
LV429384	24VAC 50/60 Hz.	All	\$201.60
LV429390	24VDC	All	\$220.77
UVR			
LV429406	110-130V 50/60 Hz.	All	\$230.40
LV429407	208-277V 60 Hz. 220-240V 50/60 Hz.	All	\$230.40
LV429408	380-415V 50/60 Hz	All	\$230.40
LV429410	24VDC	All	\$230.00
Motor Operator			
LV429433	110-130V 50/60 Hz.	100/160	\$1,073.33
LV429434	208-277V 60 Hz. 220-240V 50/60 Hz.	100/160	\$1,073.32
LV431540	110-130V 50/60 Hz.	250	\$1,870.65
LV431541	208-277V 60 Hz. 220-240V 50/60 Hz.	250	\$1,611.20
LV431542	380-415V 50/60 Hz. 440-480V 60 Hz.	250	\$1,611.20
LV432640	110-130V 50/60 Hz.	400/630	\$2,082.79
LV432641	208-277V 60 Hz. 220-240V 50/60 Hz.	400/630	\$2,169.56

C60 Series

- Fast closing
- C curve, operates between 5 and 10 times the amp rating
- D curve, operates between 10 and 14 times amp rating
- Positive indication of contact disconnect
- Suitable for reverse feeding
- Can be used to provide supplementary protection in OEM equipment
- 10kA at 415 volt AC
- IEC 60947-2, VDE 0660, and CE Marked



SINGLE POLE



DOUBLE POLE

Item Number	Amps	Price
C curve unless otherwise noted		
Single Pole		
M9F11101	1	\$76.33
M9F11102	2	\$76.33
M9F11103	3	\$76.33
M9F11104	4	\$76.33
M9F11106	6	\$76.33
M9F11110	10	\$76.33
M9F11116	16	\$76.33
M9F11120	20	\$76.33
M9F11125	25	\$76.33
M9F11132	32	\$76.33

List pricing in catalog is subject to change without notice.

C60 Series (Continued)



Item Number	Amps	Price
C curve unless otherwise noted		
Single Pole		
M9F11140	40	\$83.50
M9F11150	50	\$84.33
M9F11163	63	\$88.89
Double Pole		
C Curve unless otherwise noted		
M9F11203	3	\$164.58
M9F11204	4	\$164.58
M9F11206	6	\$164.58
M9F11210	10	\$164.58
M9F11216	16	\$164.58
M9F11220	20	\$164.58
M9F11225	25	\$164.58
M9F11232	32	\$164.58
M9F11240	40	\$169.41
M9F11250	50	\$180.48
MG24529	50 (D curve)	\$143.74
M9F11263	63	\$182.33
Triple Pole		
M9F11302	2	\$238.56
M9F11303	3	\$238.56
M9F11306	6	\$238.56
M9F11310	10	\$238.56
M9F11316	16	\$238.56
M9F11320	20	\$238.56
M9F11325	25	\$238.56
M9F11332	32	\$238.56
M9F11340	40	\$254.25
M9F11350	50	\$267.17
M9F11363	63	\$267.17



Item Number	Ratings	Price
Auxiliary Contacts		
MG26924	AUX CONT BLK C60/C120	\$67.34
Shunt Trip w/ Aux		
MG27109	For C60 series	\$158.00
MG27118	For C60 series	\$89.08

Images are representative of products listed and may not be actual product.

Circuit Breakers

MERLIN GERIN

C120 Series

- Fast closing
- Trip free mechanism
- Isolation with positive break indication
- C curve: overcurrent protection for all application types; magnetic release operates between 5 and 10 times ampere rating
- D curve: overcurrent protection for loads with high inrush currents (motors, transformers); magnetic release operates between 10 and 14 ampere rating
- Suitable for reverse feeding
- Maximum voltage 440 volt AC
- C120 use the same electrical auxiliaries as the C60, but do not accept the NC100H accessories
- IEC Rated 947-2, VDE 0660, CE Marked



SINGLE POLE



DOUBLE POLE



TRIPLE POLE

Item Number	Amps	Price
Single Pole		
A9N18446	80	\$84.90
A9N18447	100	\$111.03
A9N18448	125	\$88.87
Double Pole		
C Curve unless otherwise noted		
A9N18456	63	\$169.97
A9N18457	80	\$232.44
A9N18458	100	\$232.44
A9N18459	125	\$230.94
A9N18502	100 (D Curve)	\$186.06
Triple Pole		
C Curve unless otherwise noted		
A9N18468	80	\$346.45
A9N18469	100	\$346.45
A9N18513	100 (D Curve)	\$265.69
A9N18470	125	\$359.83
A9N18514	125 (D Curve)	\$343.57

DPN Breakers

- C curve trip design
- Magnetic trip operates between 5 and 10 times amp rating
- Provides protection on the phase pole, but switches both the phase and neutral
- IEC 60947-2 & IEC 60898 Rated




DPN BREAKER

Item Number	Amps	Price
Single phase plus neutral, 60/50 Hz., 230V AC		
M9P22606	6	\$110.88
M9P22610	10	\$110.88
M9P22616	16	\$110.88
M9P22620	20	\$110.88

List pricing in catalog is subject to change without notice.

VIGI Modules

- Combined with C60, the VIGI module forms a residual current device which conforms to IEC 61009 & EN61009
- Combines with C120 to provide high level of protection against leakage faults
- Combines current sensing toroidal and residual current relay in one case and operates without an auxiliary power supply
- Protection against indirect contact (per IEC standards)
- Rating 220-415 volt AC 125 amp
- IEC 1009 Standards



M9V11363



MG27062



MG26970

Item Number	Poles	Series	Amps	Milliamps	Price
M9V11363	3	C60	30	30ma	\$401.97
M9V11263	2	C60	30	30ma	\$366.84
A9N18591	2	C120	30	30ma	\$1,448.94
A9N18594	3	C120	30	30ma	\$1,439.72

Item Number	Description	Price
MG27062	DIN rail spacer	\$5.55
MG26970	Lockouts (pkg 2): clips onto the face of the C60 device, allows to be locked in either the ON or the OFF positions. IEC recognized only	\$18.59

Bus Bars



SINGLE POLE



DOUBLE POLE



TRIPLE POLE



Item Number	Position	Pole	Price
A9XPH112	12	1	\$10.22
A9XPH157	54	1	\$129.61
A9XPH212	12	2	\$28.06
A9XPH224	(2) 24	2	\$40.26
A9XPH257	54	2	\$118.10
A9XPH312	12	3	\$61.13
A9XPH357	54	3	\$183.29

Circuit Breakers

ABB

C3 & C3DC Bus Bar Chassis

- C3 style suitable for C60/C120/DPN/ & VIGI RCBO's
- C3DC style suitable for C60
- Industrially proven & robust range
- Tough oven bake insulation
- Easy identification with color coded bar work
- Cold formed single piece conductors ensuring no hot joints
- Current rating 250 amp
- Insulation voltage 690
- Bus bar thickness 2mm
- Conforms to standards AS3439-1 and AS3439-3
- IEC rated not UL Recognized



Item Number	Position	Pole	Price
C3			
C325243TF	24	3	\$264.81
C325363TF	36	3	\$314.52
C325483TF	48	3	\$299.69
C325603TF	60	3	\$330.10
C3DC			
C3DC363	36	2	\$260.34
C3DC483	48	2	\$379.03

ST200M Series

- High performance MCB with interrupt rating up to 10 kA
- Certified for AC and DC use acc. to UL 1077 and CSA 22.2 No. 235
- Suitable for many applications due to a wide range of product types and available accessories
- High calibration temperature of 40 °C for reduced derating in ICP applications
- Short-circuit current rating (SC) U2 enables continuous high level short circuit protection
- Laser printing provides clear product information on device
- Clear contact position indication in red/green ("real CPI")
- Unique, patented twin terminal for wiring up to 35 mm² with captive screws
- Field wiring available for most types
- Robust thermoplastic housing material for better protection against external influences



SINGLE POLE

Item Number	Amps	Price
Single Pole		
ST201M-K3	3	\$67.60
ST201M-K6	6	\$71.40
ST201M-K10	10	\$67.60
ST201M-K16	16	\$67.60
ST201M-K20	20	\$67.60

List pricing in catalog is subject to change without notice.

ST200M Series (Continued)



SINGLE POLE



DOUBLE POLE



TRIPLE POLE


Item Number	Amps	Price
Single Pole		
ST201M-K25	25	\$67.60
ST201M-K32	32	\$72.00
ST201M-K40	40	\$85.00
ST201M-K50	50	\$77.43
ST201M-K63	63	\$118.10
Double Pole		
ST202M-K3	3	\$157.40
ST202M-K6	6	\$166.60
ST202M-K10	10	\$137.20
ST202M-K16	16	\$166.60
ST202M-K20	20	\$166.60
ST202M-K25	25	\$166.60
ST202M-K32	32	\$157.50
ST202M-K40	40	\$174.20
ST202M-K50	50	\$190.80
ST202M-K63	63	\$229.40
Triple Pole		
ST203M-K6	6	\$253.70
ST203M-K10	10	\$251.90
ST203M-K16	16	\$251.90
ST203M-K20	20	\$251.90
ST203M-K25	25	\$251.90
ST203M-K32	32	\$240.70
ST203M-K40	40	\$264.00
ST203M-K50	50	\$295.20
ST203M-K63	63	\$340.10
Item Number	Description	Price
Accessories		
AST50/15	Four module plates, blanking	\$36.55
SZ-AST55I	Connection Terminal 1/0 Straight	\$19.79
SZ-AST50I	Connection Terminal 1/0 90 Degree	\$19.11
SZ-ES68/83	Height Adjuster	\$4.38
SZ-ESK2	Busbar Terminal Block 14-2 AWG	\$11.27

Images are representative of products listed and may not be actual product.

Circuit Breakers

ABB BUS BARS + CARLING

Bus Bars



Item Number	Description	Price
80 Amps		
PS-END	2 Pole Endcap	\$3.92
PS-ENDSP	3 Pole Endcap	\$4.25
PS1/60/16	1 Pole 60 Position	\$71.76
PS2/58/16SP	2 Pole 58 Position	\$167.43
PS3/60/16SP	3 Pole 60 Position	\$253.28

Toggle

- Voltage 65 volt DC / 250 volt AC
- Switching cycles 10,000 @ rated amp and volt
- Magnetic hydraulic trip free
- CE Marked, TUV Certified, CSA Certified, UL 1077 Recognized
- Single pole 2"(50.8mm)H x .75" (19.05mm)W x 2"(50.8mm)D
- Double pole 3"(76.2mm)H x 1.5" (38.10mm)W x 2"(50.8mm)D
- #10-32 stainless steel terminal screw



AA1 SERIES



AA2 SERIES



BB3 SERIES

Item Number	Amps	Price
AA1		
Single Pole, AC/DC, XX = * Red (RD), Black (BK) or White (WH)		
AA1-5-(XX) *	5	\$17.10
AA1-10-(XX) *	10	\$17.10
AA1-15-(XX) *	15	\$17.10
AA1-20-(XX) *	20	\$17.10
AA1-25-(XX)	25	\$17.10
AA1-30-(XX)	30	\$17.10
AA1-35-(XX)	35	\$17.10
AA1-40-(XX)	40	\$17.10
AA1-50-(XX)	50	\$17.10

List pricing in catalog is subject to change without notice.

Toggle (Continued)

Item Number	Amps	Price
AA2		
Double Pole, Double Toggle AC/DC, XX = Black (BK) or White (WH)		
AA2-5-(XX)	5	\$40.23
AA2-10-(XX)	10	\$40.23
AA2-15-(XX)	15	\$40.23
AA2-20-(XX)	20	\$40.23
AA2-25-(XX)	25	\$40.23
AA2-30-(XX)	30	\$40.23
AA2-35-(XX)	35	\$40.23
AA2-40-(XX)	40	\$40.23
AA2-50-(XX)	50	\$40.23
AB2		
Double pole, Single White Toggle		
AB2-30A-WH	30	\$40.23
AB2-50A-WH	50	\$40.23
BB3		
Triple Pole, Single White Toggle, Reverse polarity protection		
BB3-30-AVT	30 (2 pole current / 1 pole trip)	\$98.18
BB3-50-AVT	50 (2 pole current / 1 pole trip)	\$98.18

Sealed Toggle

- Switch rated
- Magnetic hydraulic trip free
- Temperature stable
- Sealed actuator
- Volts: 80 volt DC/ 277 volt AC
- 50/60 Hz. @ DC
- CSA Certified, UL 1077 Recognized
- Mounting dimension ½"-32



AMI SERIES

Item Number	Amps	Price
AM1		
Single Pole, Weather Proof, Metal Toggle		
AM1-5	5	\$34.00
AM1-10	10	\$34.00
AM1-15	15	\$34.00
AM1-20	20	\$34.00
AM1-25	25	\$34.00
AM1-30	30	\$34.00
AM1-50	50	\$34.00

Images are representative of products listed and may not be actual product.

Circuit Breakers

CARLING

A Series Accessories

- Toggle guard uses circuit breaker mounting holes
- Lockout slide allows only 1 double pole AC breaker to be activated at one time
- Fits all double pole A Series toggle
- Uses circuit breaker mounting hole



BOOTS



TOGGLE BOOT



GUARDS



LOCKOUT

Item Number	Description	Price
Boots		
1113/40	Single pole weatherproof boot	\$15.80
1113/42	Double pole weatherproof boot	\$18.10
50154 25 17	Sealed toggle weatherproof boot (AM Series only)	\$7.71
Guards		
4100	Toggle Guard, protects against accidental switching, includes mounting screws	\$4.29
Lockout		
4125	Breaker lockout slide Double Pole/ 2 Source	\$18.79

Flat Rockers

- Flat actuator resists accidental switching
- Voltage 32 volt DC / 250 volt AC
- Switching cycles 10,000 @ rated amp and volt
- Magnetic hydraulic trip free
- #10-32 stainless steel terminal screw

- CE Marked, TUV Certified, CSA Certified, UL 1077 Recognized
- Single pole 2.217"(56.31mm)H x .75"(19.05mm)W x 2.4"(60.96mm)D
- Double pole 2.31"(58.67mm)H x 1.5"(38.10mm)W x 2.4"(60.96mm)D



A21 SERIES



A22 SERIES

Item Number	Amps	Price
A21		
Single Pole, Black Rocker		
A21-5A	5	\$28.09
A21-10A	10	\$28.09
A21-15A	15	\$28.09
A21-20A	20	\$28.09
A21-25A	25	\$29.13
A21-30A	30	\$28.09
A21-50A	50	\$29.13

List pricing in catalog is subject to change without notice.

Flat Rockers (Continued)

Item Number	Amps	Price
A22		
Double Pole, Single Rocker		
A22-5A	5	\$56.11
A22-10A	10	\$54.45
A22-15A	15	\$54.45
A22-20A	20	\$54.45
A22-25A	25	\$56.11
A22-30A	30	\$56.11
A22-40A	40	\$54.99
A22-50A	50	\$54.99

Raised Rockers

- Colored actuator indicates OFF
- Voltage 32 volt DC / 250 volt AC
- Switching cycles 10,000 @ rated amp and volt
- Magnetic hydraulic trip free
- #10-32 stainless steel terminal screw
- CE Marked, TUV Certified, CSA Certified, UL 1077 Recognized
- Single pole 2.217"(56.31mm)H x .75"(19.05mm) W x 2.4"(60.96mm)D
- Double pole 2.31"(58.67mm)H x 1.5"(38.10mm) W x 2.4"(60.96mm)D



AD1 SERIES

Item Number	Amps	Price
AD1		
Single Pole, Red Rocker Indicator		
AD1B0344504G1C	5	\$45.20
AD1B0346104G1C	10	\$45.20
AD1B0346154G1C	15	\$45.20
AD1B0346204G1C	20	\$45.20
AD1B0346254G1C	25	\$81.21
Single Pole, White Rocker Indicator		
AD1B0344504B1C	5	\$45.20
AD1B0346104B1C	10	\$45.20
AD1B0346154B1C	15	\$45.20
AD1B0346204B1C	20	\$45.20
AD1B0346304B1C	30	\$81.21

Images are representative of products listed and may not be actual product.

Circuit Breakers

CARLING C SERIES

Toggle

- Hydraulic magnetic
- STUD terminals
- Temperature stable
- Volts: 65 volt DC/ 240 volt AC
- 50/60 Hz. DC
- Interrupting ratings:
25 volt DC-5000 amp
250 volt AC-5 thru 50-3000 amp
250 volt AC-51 thru 100-1000 amp
- UL 1077 Recognized and CSA Certified



CA1 SERIES



CA2 SERIES



CA3 SERIES


Item Number	Amps	Price
CA1		
Single Pole, AC/DC, Black		
CA1-5	5	\$27.60
CA1-10	10	\$27.60
CA1-15	15	\$27.60
CA1-20	20	\$27.60
CA1-25	25	\$27.60
CA1-30	30	\$27.60
CA1-40	40	\$27.60
CA1-50	50	\$27.60
CA1-60	60	\$27.60
CA1-70	70	\$27.60
CA1-80	80	\$27.60
CA1-100	100	\$27.60
CA2		
Double Pole, AC/DC, LTD=Long Time Delay, Double Toggle		
CA2-10	10	\$64.24
CA2-15	15	\$64.24
CA2-20	20	\$64.24
CA2-25	25	\$64.24
CA2-30	30	\$64.24
CA2-35	35	\$64.24
CA2-40	40	\$64.24
CA2-50	50	\$64.24
CA2-50-LTD	50	\$64.24
CA2-60	60	\$99.41
CA2-65	65	\$99.41
CA2-70	70	\$64.24
CA2-80	80	\$64.24
CA2-90	90	\$64.24
CA2-100	100	\$64.24
CA3		
Triple Pole, AC/DC, Triple Toggle		
CA3-30	30	\$98.80
CA3-50	50	\$98.80
CA3-60	60	\$98.80

List pricing in catalog is subject to change without notice.

C Series Accessories

Lockout Slide

- Allows only 1 of a pair of double pole or triple pole AC circuit breakers to be activated at one time
- Guarantees that AC power from 2 sources will not be mixed
- Fits all double or triple pole C Series toggle
- Uses circuit breaker mounting hole



BOOTS



LOCKOUTS

Item Number	Description	Price
Boots		
HE-1020	Double pole weatherproof boot	\$25.36
HE-1050	Triple pole weatherproof boot	\$26.60
Lockouts		
4130	Double pole breaker lockout slide 2 Sources	\$36.49
4131	Triple pole breaker lockout slide 2 Sources	\$36.49

Bus Bars

- Use for A & C Series Carling breakers



00360-101



00360-103



00360-102

Item Number	Description	Price
Single Pole		
00360-101	Tin plated 15 positions	\$22.26
Double Pole		
00360-103	Power connector 2 positions	\$19.50
00360-102	Epoxy coated 8 positions	\$47.16

Circuit Breakers

BLUE SEA SYSTEMS + MERLIN GERIN

High Load Series

- Magnetic hydraulic trip free
- Stainless steel terminals
- Large frame provides stud terminations for 5-300 amp
- Toggle type breaker
- Offers high interrupt capacity suitable for main circuit protection
- Interrupting rating 65 volt DC, 150-300 amp, 5,000 amp



HIGHLOAD SERIES

Item Number	Amps	Pole	Price
7267	150	2	\$136.99
7269	200	2	\$136.99
7270	250	3	\$176.99

ELCI

- Leakage trip current 30 milli amp
- Flat rocker actuator
- Trips on short circuit, overload, or leakage to ground
- For installation in a power distribution panel
- ELCI main provides overcurrent and leakage protection per ABYC E-11, for whole boat shore power protection
- UL 1077, UL 943 Class A



3102100



3093



3104

Item Number	Frame Series	Poles	Amps	Price
3102100	A	2	30	\$169.99
3093	C	2	50	\$405.99
3104	C	3	50	\$482.99

List pricing in catalog is subject to change without notice.

Toggle

- 2 & 3 Pole volt: 277/480 AC
- 1 Pole volt: 125 DC, 277 AC
- Ideally suited for higher amperage applications
- Interrupting rating 5000 amp
- UL 1077 Recognized & CSA Accepted



EA1 SERIES



EA2 SERIES



EA3 SERIES



BOOTS

Item Number	Amps	Price
EA1		
Single Pole, AC/DC		
EA1-10	10	\$38.00
EA1-15	15	\$38.00
EA1-20	20	\$38.00
EA1-30	30	\$38.00
EA2		
Double Pole, AC		
EA2-15	15	\$73.82
EA2-20	20	\$73.82
EA2-30	30	\$73.82
EA2-50	50	\$75.71
EA2-50-STUD	50	\$77.25
EA2-60	60	\$75.71
EA2-60-STUD	60	\$77.25
EA2-70	70	\$75.71
EA2-80-STUD	80	\$77.25
EA2-100	100	\$75.71
EA2-100-STUD	100	\$86.01
EA2 Long Delay		
EA2-100-LD-STUD	100	\$77.99
EA3		
Triple Pole, AC		
EA3-50	50	\$133.85
EA3-50-STUD	50	\$133.85
EA3-80	80	\$133.85
EA3-100	100	\$133.85
EA3-100-STUD	100	\$133.85
Weatherproof Boots		
1113/34	2	\$66.56
HE-1070	3	\$27.98

Images are representative of products listed and may not be actual product.

Circuit Breakers

CARLING PUSHBUTTON

CLB Series

- Thermal circuit protector with a compact design
- Push to reset operation
- Screw terminals
- Ratings: 125-250 volt AC, 32 volt DC
- Interrupting rating: 2500 amp
- UL , CUL, CSA, TUV, and CE Approved
- Ignition protection: UL 1500/ISO 8846
- .25 terminal tab



CLB SERIES

Item Number	Amps	Price
CLB-5A	5	\$8.37
CLB-10A	10	\$8.37
CLB-15A	15	\$8.37
CLB-20A	20	\$8.37
CLB-30A	30	\$8.37
CLB-40A	40	\$8.37

CMB Series

- Thermal circuit protector with a compact design
- Push to reset operation
- .25 tab terminals
- Ratings: 125-250 volt AC, 32 volt DC
- Interrupting rating; 2500 amp
- UL, CUL, CSA, TUV, and CE approved
- Ignition protection: UL 1500/ISO 8846



CMB

Item Number	Amps	Price
CMB-3	3	\$3.50
CMB-5	5	\$3.50
CMB-10	10	\$3.50
CMB-15	15	\$3.50
CMB-20	20	\$3.50

CLB/CMB Boots

- Incorporated into waterproof panels
- Protects in wet environments
- 2 per package
- Replaces dress nut mounting on circuit breakers



4135



4136



4137

Item Number	Description	Price
Two per package		
4135	Pushbutton weatherproof boot: Clear	\$4.69
4136	Pushbutton weatherproof boot: White	\$4.69
4137	Pushbutton weatherproof boot: Black	\$4.69

List pricing in catalog is subject to change without notice.

6766 Series

- Manual reset
- Weatherproof SAE J1625 and ideally suited for rugged applications
- Interrupt current rating: per SAE J1625 and ABYC E-11
- 30 volt DC
- Ignition protection: SEA J1171



6766 SERIES

Item Number	Amps	Price
6766-19-80	80	\$269.29
6766-19-105	105	\$269.29
6766-19-135	135	\$269.29

CDM Series

- 30 volt DC or 120 volt AC
- Designed to protect wiring and meet the harshest environmental requirements
- Interrupt current capacity ABYC E-11
- Weatherproof SAE J553
- Ignition protected SAE J1171
- UL Recognized E36869



CDM SERIES

Item Number	Amps	Price
CDM10	10	\$23.84
CDM15	15	\$23.84
CDM20	20	\$23.84
CDM30	30	\$23.84
CDM40	40	\$23.84
7851-18-50	50	\$44.03
7851-18-60	60	\$57.32

SDLM Series

- 30 volt DC
- Ignition protected SAE J1171
- Weatherproof SAE J553
- UL Recognized E36869
- Interrupt capacity ABYC E-11
- Thermal breaker designed to protect wiring and meet the harshest environmental requirements
- SAEJ1625



SDLM SERIES

Item Number	Amps	Price
SDLM50	50	\$57.79
SDLM60	60	\$57.79
SDLM80	80	\$57.79
SDLM90	90	\$57.79
SDLM105	105	\$57.79
SDLM120	120	\$57.79
SDLM150	150	\$57.79

Images are representative of products listed and may not be actual product.

Circuit Breakers

ETA

W-31 Series

- Single pole
- Trip free operation
- May be used as a ON/OFF Switch
- Screw terminals
- Calibration, continuously 100% trips between 101% and 134%, MUST trip at 135% in an hour
- Interrupting rating 4X max .5-50 amp: 1000 amp @ 240 volt DC
- 30-50 amp: 1000 amp @ 50 volt DC
- Interrupting w/o 4X Max: .5-50 amp: .5-25 amp: 2000 amp @ 50 volt DC
- 10-20 amp: 2000 amp @ 120 volt AC
- UL 1077 and CSA Recognized



W-31 SERIES

Item Number	Amps	Price
W31X2M1G-5	5	\$39.22
W31X2M1G-7.5	7.5	\$39.94
W31X2M1G-10	10	\$39.22
W31X2M1G-15	15	\$39.22
W31X2M1G-20	20	\$39.22
W31X2M1G-30	30	\$39.22
W31X2M1G-40	40	\$39.22
W31X2M1G-50	50	\$51.26

W-23 Series

- Thermal breaker
- Trip free operation
- Visible trip indicator
- Black push-pull with white trip band
- Calibration: continuously 100% trips between 101% and 134%, MUST trip at 135% in an hour
- Interrupting rating 4X max: .50-50 amp: 1000 amp @ 240 volt DC
- 30-50 amp: 1000 amp @ 50 volt DC
- Interrupting w/o 4X max: .5-25 amp: 2000 amp @ 50 volt DC
- 10-20 amp: 2000 amp at 120 volt AC
- UL 1077 and CSA Recognized



W-23 SERIES

Item Number	Amps	Price
W23X1A1G-5	5	\$32.33
W23X1A1G-10	10	\$32.33
W23X1A1G-15	15	\$32.33
W23X1A1G-20	20	\$32.33
W23X1A1G-30	30	\$32.33

W-58 Series

- Cannot be manually tripped
- Thermal breaker
- Button extends for visual trip indication
- .250" QC termination
- Push to reset breaker
- Max operating: 50 volt DC, 250 volt AC
- Interrupting rating 2000 amp @ 50 volt DC, 1000 amp @ 250 volt AC
- UL 1077 and CSA Recognized



W-58 SERIES

Item Number	Amps	Price
W58XB1A4A-5	5	\$15.93
W58XB1A4A-10	10	\$15.93
W58XB1A4A-15	15	\$15.93
W58XB1A4A-20	20	\$15.93
W58XB1A4A-30	30	\$15.93

Boot

NC3030.7/16-28	Clear Boot	\$6.22
----------------	------------	--------

List pricing in catalog is subject to change without notice.

41 Series

- Thermal circuit breaker
- Trip free
- Push-pull
- Manual actuation
- Threaded neck for panel mounting
- 240 volt AC/50 volt DC



41 SERIES

Item Number	Amps	Price
412-K14-LN2-10	10	\$66.40
412-K14-LN2-15	15	\$66.40
412-K14-LN2-20	20	\$70.66
413-K14-LN2-30	30	\$76.04
413-K14-LN2-40	40	\$76.04
413-K14-LN2-50	50	\$76.04
413-K14-LN2-60	60	\$76.04
413-K14-LN2-70	70	\$78.28
X20080104	Clear Boots	\$9.84

2-5700 Series

- Trip free
- Threaded neck or flange for panel mounting
- Thermal circuit breaker
- 250 volt AC/28 volt DC



45 SERIES

Item Number	Amps	Price
2-5700-5	5	\$20.28
2-5700-10	10	\$19.74
2-5700-15	15	\$19.38
2-5700-20	20	\$19.38
2-5700-25	25	\$19.38
2-5700-30	30	\$23.34
X20129603	Clear Boots	\$8.62

1658 Series

- Thermal circuit breaker
- Trip free
- Manual reset
- 240 volt AC/28 volt DC



1658 SERIES

Item Number	Amps	Price
1658-G21-5A	5	\$4.02
1658-G21-7A	7	\$4.02
1658-G21-10A	10	\$4.02
1658-G21-15A	15	\$4.02
1658-G21-20A	20	\$4.26
1658-G21-30A	30	\$4.41
X20128501	Clear Boots	\$3.12

Images are representative of products listed and may not be actual product.

Circuit Breakers

COOPER BUSSMAN

187 Series

- Manual reset breaker with On-Off switch capability
- Thermal magnetic
- 5/16-18 threaded studs
- Panel mount breaker
- Rating 25-200 amp, 48 volt DC
- Interrupt rating 5kA@ 12 volt DC
- ABYC E-11, CE Approved
- Ignition protected SAE J11711
- Panel mounted



187 SERIES

Item Number	Amps	Price
CB187P-25	25	\$47.80
CB187P-30	30	\$47.80
CB187P-40	40	\$47.80
CB187P-50	50	\$47.80
CB187P-60	60	\$47.80
CB187P-70	70	\$47.80
CB187P-80	80	\$47.80
CB187P-100	100	\$47.80

Item Number	Amps	Price
CB187P-150	150	\$47.80
CB187P-200	200	\$47.80
CB187F-30	30	\$46.95
CB187F-40	40	\$46.95
CB187F-50	50	\$46.95
CB187F-60	60	\$46.95
CB187F-100	100	\$46.95
CB187F-150	150	\$46.95

255 Series

- Type III ignition protected
- Weatherproof
- Panel-mount
- Manual reset with "push-to-trip" option
- SEMS nuts installed
- 32 volt DC



255 SERIES

Item Number	Amps	Price
CB255-10	10	\$32.20
CB255-20	20	\$32.20
CB255-30	30	\$32.20

Item Number	Amps	Price
CB255-40	40	\$32.20
CB255-50	50	\$32.20

185/285 Series

- Push to trip
- Surface mount or panel mount
- Visual indication of tripped condition
- Termination 1/4-28 threaded studs
- Ratings 25-150 amp, 48 volt DC
- Interrupt rating 30000 amp @ 30 volt DC
- SAE J1625, ABYC E-11, CE Approved
- Ignition protected SAE J1171



SURFACE MOUNT

Item Number	Amps	Price
Surface Mount		
CB285F-30	30	\$32.80
CB285F-40	40	\$32.80
CB285F-50	50	\$32.80
CB285F-60	60	\$32.80
CB285F-70	70	\$32.80
CB285F-80	80	\$32.80
CB285F-90	90	\$32.80
CB285F-100	100	\$32.80
CB285F-120	120	\$32.80

Item Number	Amps	Price
Panel Mount		
CB285F-150	150	\$32.80
CB185P-30	30	\$36.80
CB185P-40	40	\$36.80
CB185P-50	50	\$36.80
CB185P-60	60	\$36.80
CB185P-70	70	\$36.80
CB185P-80	80	\$36.80
CB185P-100	100	\$36.80
CB185P-150	150	\$36.80

List pricing in catalog is subject to change without notice.

Circuit Protection

- Plated steel construction
- Thermal style
- Multiple mounting options
- Two stud terminal with nuts



30055-10

Item Number	Amps	Price
12V DC		
30055-10	10	\$10.47
30055-15	15	\$10.56
30055-20	20	\$9.07
30055-30	30	\$9.43
30055-40	40	\$9.39
30055-50	50	\$11.38
24V DC		
30172-10	10	\$10.69
30172-15	15	\$10.40
30172-20	20	\$10.56
30172-30	30	\$10.56

Hydraulic Magnetic / Quick



HMCB-40

Item Number	Amps	Price
HMCB-40	40	\$145.00
HMCB-50	50	\$155.00
HMCB-60	60	\$160.00
HMCB-80	80	\$182.00
HMCB-100	100	\$240.00

Images are representative of products listed and may not be actual product.

Circuit Breakers

SCHNEIDER

QOU Series

- 48 volt DC/ 240 volt AC
- Thermal magnetic
- Automatic and manual
- Open circuits
- Visi-trip indicator
- Lugs on both end for ease of install
- Surface, flush, or DIN Mounting
- Typical dock power pedestal circuit breaker
- UL and CSA Recognized



QOU SERIES

Item Number	Amps	Price
Double Pole		
QOU250	50	\$56.00
QOU260	60	\$56.00
QOU2100	100	\$316.32

QBL Series

- UL Listed
- Thermal magnetic
- Trip free mechanism
- Push to trip feature
- 240 volt AC



QBL SERIES

Item Number	Amps	Price
Double Pole		
QBL22100	100	\$528.80
QBL22150	150	\$528.80

List pricing in catalog is subject to change without notice.