#### SHIP TO SHORE CABLE SETS

### Hubbell

#### 30 Amp Cable Sets

- UL Listed
- Jute filler inside jacket for maximum cable flexibility
- Molded flex neck adds life to cable set by helping to prevent right angle cable damage and pullout
- Strain relief bull ring protects against stress and strain on the conductors caused by boat movement, crew traffic, and rough handling
- Molded design totally encased in solid PVC material, for superior waterproofing and durability
- Exclusive copper crimp barrel termination provides protection against internal overheating and burnout compared to brass crimps

#### 50 Amp Cable Sets

- Thermoset contact carrier is arcing and heat resistant
- Sealing lip to protect plug/ receptacle connection from moisture
- Bull ring for strain relief on the terminals
- Molded in flex feature controls the angle of cord entry and helps keep water out
- Copper crimp barrels for reliable terminations
- Nickel plated brass shell for positive alignment of keying and corrosion resistance







30 AMP WHITE



50 AMP YELLOW



50 AMP WHITE

Item Number	Color	Le	ength in Ft.	Price
		30 Amp 125 Volt		
#10 AWG, 2 Pole 3 Wire	e, PVC Jacket			
HBL61CM03	Yellow		25	\$122.63
HBL61CM08	Yellow		50	\$140.63
HBL61CM08W	White		50	\$140.63
		50 Amp 125/250 Volt		
#6 AWG, 3 Pole 4 Wire,	Vinyl Jacket			
HBL61CM52	Yellow		50	\$998.20
HBL61CM52W	White		50	\$998.20

#### SHIP TO SHORE CARLE SETS

## Hubbell (Continued)

#### 100 Amp Cable Sets

- Adheres to the standard for 100 amp pin and sleeve devices by the National Electric Code and the ABYC
- Cable sets manufactured in factory controlled conditions using specially compounded cable to accommodate a full 100 amp continuous current
- UL Listed
- IP67 protected



100 AMP YELLOW

Item Number	Pole	Number of wires in shore power cable	Length in Ft.	Туре	Price
			100 Am	np 120/208 Volt	
#2 AWG, 105°C,	STOW Ca	ble			
CS75IT5	3	4	75	Shore power with 4 pole/5 wire 100A 120/208V plug and connector body, use with isolation transformer only	\$6,302.58
CS100IT5	3	4	100	Same as CS75IT5 except for length	\$7,090.93
CW100IT5	3	4	100	No neutral, one-ended (male only) power supply cable, 4 pole/ 5 wire plug for use with isolation transformer & a cable winch system only	\$5,053.33
CW125IT5	3	4	125	Same as CW100IT5 except for length	\$5,848.63
			100 Am	np 125/250 Volt	
#2 AWG, 105°C,	STOW Ca	ible			
CS75IT4	2	3	75	No neutral, with 3 Pole/ 4 Wire 100A plug and connector body, use with isolation transformer only	\$5,761.58
CS100IT4	2	3	100	Same as CS75IT4 except for length	\$6,409.80
CW100IT4	2	3	100	One-ended (male only) power supply cable, 3 pole/4 wire plug, use with isolation transformer and cable reel system only	\$4,476.53
CW125IT4	3	3	125	One-ended (male only) power supply cable, 3 Pole/ 4 Wire plug, use with isolation transformer and cable reel system only	\$5,104.00
CS50EXT4	3	4	50	Extension cord for shore power cable set	\$5,761.58
CS754	3	4	75	Shore power with 4 pole/ 5 wire 100A 120/208 Volt plug and connector body, use with isolation transformer only	\$6,205.25
CW754	3	4	75	One-ended (male only) power supply cable, 3 pole/ 4 wire plug	\$4,493.53
CS1004	3	4	100	Same as CW754 except for length	\$6,869.48

#### SHIP TO SHORE DEVICES

## Hubbell

- UL & CSA approved
- Variety of styles and materials
- Dependable

- Twist locking feature for safety
- Pin & sleeve configuration
- Long lasting









HBL303INT







HBL26CM10

HBL26CM11

HBL26CM13

HBL303NM

HBL303SS

HBL303SSO

Item Number	Description	Price
	30 Amp 125 Volt AC Twist Lock Devices	
2 Pole 3 Wire		
HBL26CM10	Single receptacle with Rynite body	\$57.93
HBL26CM11	Insulgrip plug with cord grip range .36"93"	\$41.98
HBL26CM13	Insulgrip connector body with cord grip range of .36"93"	\$83.60
HBL303INT	Replacement interior inlet for 60CM61 & HBL303SS shore power inlets	\$60.45
HBL303NM	Stylized UV resistant non-metallic shore power inlet with white Centrex cover, mounting holes 2.38" on center and match existing mounting patterns	\$92.95
HBL303SS	Traditional stainless steel shore power inlet with self closing weather tight screw on cover, mounting holes 2.38" on center	\$168.50
HBL303SSO	Traditional stainless steel power outlet with self closing weather tight screw on cover, mounting holes 2.38" on center	\$276.15







HBL63CM60

HBL63CM61

ittiii ivailibti	Description	11100
	50 Amp 125 Volt Twist Lock Devices	
2 Pole 3 Wire		
HBL503SS	Traditional stainless steel self closing shore power inlet weather tight when fastened, mounting holes 2.38" on center and rear has 2.17" diameter	\$270.30
HBL63CM60	Nickel plated brass connector body, heat resistant thermoset interior and combination metal and rubber cord grip range .44" - 1.14"	\$160.00
HBL63CM61	Nickel plated brass plug, heat resistant thermoset interior and combination metal and rubber cord grip range .44" - 1.14"	\$141.83
HBL63CM70	Single receptacle with heat resistant thermoset base	\$178.33

Item Number

## Hubbell (Continued)











HBL504NM HBL504SS HBL63CM64 HBL63CM65

HBL63CM69

Item Number	Description	Price
	50 Amp 125/250 Volt Twist Lock Devices	
3 Pole 4 Wire		
CR16279	Replacement interior for HBL504SS power inlets	\$132.60
HBL504NM	Stylized non-metallic shore power inlet, UV resistant white cover weather proof when sealed, thermoset interior, mounting holes 2.38" on center match existing patterns	\$159.45
HBL504SS	Traditional stainless steel shore power inlet with self closing weather tight screw on cover, mounting holes 2.38" on center	\$273.65
HBL63CM64	Nickel plated brass connector body with heat resistant thermoset interior, weather tight when securely fastened, cord grip range .44"-1.14"	\$157.05
HBL63CM65	Nickel plated brass plug with heat resistant thermoset interior, weather tight when securely fastened, cord grip range .44"-1.14"	\$138.58
HBL63CM69	Single receptacle with a heat resistant thermoset base	\$182.78











M4100B12R

M4100C12

M4100C12R

M4100P12 M4100R12

Item Number	Description	Price
	100 Amp 125/250 Volt	
3 Pole 4 Wire, Yellow 2	Zytel® plastic (unless noted)	
M4100B12R	Gray nylon shore power Inlet with cover, mounting holes 4.88" on center and rear portion has 3.94" diameter	\$837.23
M4100C12	Connector body for mating plug to connector interface on extension cords or adapters, cord grip range 1-1.94"  Note: Cannot be mated to the shore power inlet	\$940.20
M4100C12R	Reverse service connector body, cord grip range 1-1.94"  Note: Device mates with shore power inlet only	\$896.45
M4100P12	Plug with watertight gasketed locking ring, cord grip range 1-1.94"	\$855.08
M4100R12	Dockside receptacle with gasketed, spring loaded cover, mounting holes are 4.88" on center	\$894.10

#### SHIP TO SHORE DEVICES

## Hubbell (Continued)











M5100B7R & M5100B9R

Item Number

M5100C9R

M5100C9

M5100P9

M5100R9

	=	
	100 Amp, Three Phase, 120/208 Volt AC	
4 Pole 5 Wire, Yellow Z	ytal® plastic (unless noted)	
M5100B9R	Gray nylon shore power inlet with gasketed, spring loaded cover, mounting holes	\$953.23

M5100B9R	Gray nylon shore power inlet with gasketed, spring loaded cover, mounting holes 4.88" on center and rear portion 3.94" diameter	\$953.23
M5100C9R	Watertight connector body with gasketed locking ring, cord grip range is 1"-1.94"  Note: This device mates with shore power inlet only	\$1,019.55
M5100C9	Watertight connector body for making plug to connector interface on extension cords or adapters, cord grip 1-1.94" Note: Cannot be mated to the shore power inlet	\$1,016.88
M5100P9	Watertight plug with gasketed locking ring, cord grip range 1"-1.94"	\$925.28
M5100R9	Gray nylon dockside receptacle with gasketed, spring loaded cover, mounting holes are 4.88" on center	\$957.93



M5100C7R



M5100P7





Item Number Description Price

### 100 Amp, Three Phase, 277/480 Volt AC

4 Pole 5 Wire, Yel	low Zytal® plastic (unless noted)	
M5100B7R	Gray nylon shore power inlet with gasketed, spring loaded cover, mounting holes 4.88" on center and rear portion 3.94" diameter	\$953.23
M5100C7	Watertight connector body with gasketed locking cap, cord grip range is 1"-1.94"  Note: This device mates with shore power inlet only	\$1,016.88
M5100C7R	Watertight connector body with gasketed locking ring, cord grip range is 1"-1.94"  Note: This device mates with shore power inlet only	\$1,019.55
M5100P7	Watertight plug with gasketed locking ring, cord grip range 1"-1.94"	\$925.28
M5100R7	Dockside receptacle with gasketed, spring loaded cover, mounting holes 4.88" on center	\$957.93

#### 100 Amp, Three Phase, 480 Volt

3 Pole, 4 Wire, Red Zytal plasti	ic	
HBL4100C7W	Watertight connector for making inlet to connector interface, cord grip 1"-1.94"	\$1,011.56
HBL4100P7W	Watertight plug with gasketed locking ring, cord grip 1"-1.94"	\$815.00

#### SHIP TO SHORE DEVICES BOXES, COVERS & BOOTS

## Hubbell (Continued)











M5200CS1R

M5200PSI M5200RSI

Item Number	Description	Price
	200 Amp 600 Volt AC 250 Volt DC	
4 Pole 5 Wire, 50-400 Hz.		
M5200BS1R	Gray metallic watertight shore power inlet with wing nut secured lid	\$1,986.00
M5200CS1	Gray/Yellow metallic watertight connector body with locking ring, for making plug/connector body interface on extension cords or adapters	\$2,065.15
M5200CS1R	Gray/Yellow metallic watertight connector body with locking ring, cord range is #1AWG-250 MCM	\$2,002.50
M5200PS1	Gray/Yellow metallic watertight plug with locking ring, cord grip #1AWG- 250 MCM	\$1,557.15
M5200RS1	Gray metallic dockside receptacle with wing nut secured lid	\$1,524.15

## Russellstoll





DS2404MP00 JPS2034H

Item Number	Description	Series	Configuration	Price
	200 Amp, 600 Volt AC/250 Volt DC	:		
DS2404MP000	Load breaking male plug, 2.25" bushing, max conductor 4 AWG	MaxGuard	3P4W	\$1,298.16
JPS2034H	Weathertight with spring-hinged flap cover and screw collar male plug	J-Line	3P4W	\$1,616.98

## Hubbell





HBL77CM74WO

HBL74CM25WOA

Item Number	Price	
	Cover Plates	
*White available. Use suff	ix W when ordering	
HBL77CM74WO	Yellow Valox spring-loaded lift cover for weather proofing 50A receptacles, for mounting to FS/FD weatherproof boxes	\$80.35
HBL74CM25WOA*	Yellow Valox spring-loaded lift cover for weather proofing HBL26CM10, for mounting to FS/FD weatherproof boxes	\$74.60
HBL74CM25WOAW	White Valox spring-loaded lift cover for weather proofing HBL26CM10, for mounting to FS/FD weatherproof boxes	\$74.60

## Hubbell (Continued)



HBL60CM31 & HBL60CM32









HBL6083



HBL77CM15



HBL77CM16W



BB100N

















BB100-2W

CA100

FW60/100

LR100

PC100

MB2003W & MB2004W

Item Number	Description	Price
*Note: Fits Insulgrip	o devices only	
	30 Amp	
HBL60CM31*	Yellow Seal-Tite cover for weather proofing plugs	\$22.20
HBL60CM32*	Yellow Seal-Tite cover for weather proofing connector bodies on extension cords or adapters	\$24.35
HBL60CM33*	Yellow Seal-Tite cover for weather proofing connector bodies when used on shore power inlets or outlets	\$32.10
HBL6083	Gray phenolic FD (deep) weatherproof box with two 3/4" IPS molded knockouts	\$45.78
	50 Amp	
HBL77CM15	Yellow Seal-Tite cover for connector bodies	\$51.45
HBL77CM15W	White Seal-Tite cover for connector bodies	\$51.45
HBL77CM16	Yellow Seal-Tite cover for plugs	\$32.25
HBL77CM16W	White Seal-Tite cover for plugs	\$32.25
HBL77CM17	Yellow Seal-Tite cover for weather proofing connector bodies on extension cords or adapters	\$32.81
	100 Amp	
BB100-2W	15° angle cast aluminum back box, gray with 2.00" NPT	\$248.15
BB100N	15° angle non-metallic back box, thermoplastic, UV protected, 1.5" NPT	\$171.95
CA100	Replacement lift cover assembly; includes cover, arm, and assembly tool	\$89.60
CC100	Replacement locking ring and cord clamp	\$230.38
FW60/100	15° angle section cast aluminum back box for inlets and receptacles, gray 1.5" NPT	\$369.33
LR100	Replacement locking ring only	\$37.70
PC100	Closure cap for 100A plugs and connectors that have lock rings	\$92.83
	200 Amp	
MB2003W	15 degree angle cast aluminum back box, gray with 2" NPT	\$547.50
MB2004W	15 degree angle cast aluminum back box, gray with 2.5" NPT	\$615.00

## Ward's Marine Electric Paralleling

This portable adapter will permit the safe connection of your 100 amp 120/240 volt AC single phase shore power cord to two compatible 50 amp 120/240 volt AC shore power dock receptacles. A state-of-the-art safety circuit protects from short circuits and shock hazards while easy to understand instructions ensure simple and straightforward operation.

If the two dock receptacles are supplied from the same utility power source [and can be safely interconnected] the adapter will automatically check the phase relationship, correct phasing when needed, and make a safe parallel connection. In the case of incompatible power sources [where safe parallel connection is not possible] the adapter will connect your 100 amp shore power cord to a single 50 amp power source only, which will permit the operation of limited onboard loads.



\* Unit will not work on docks with GFCI protection

Item Number		Price
	100 Amp	
SPPA-50		\$6,430.00

## **Hubbell Paralleling**

- Call for IP ratings
- Yellow or white material
- Internal logic sense
- Fully molded
- Crimped terminations

#### **IMPORTANT SAFETY NOTE**

YQ100PLUS: This adapter must be connected to an on board, center tapped isolation transformer. DO NOT USE this adapter if such a transformer or converter is not available





Item Number	Description	Price
YQ230	50A, 125/250V (Boat), (2) 30A, 125V (Dock) 3 Pole Y Adapter	\$669.50
YQ100PLUS	100A, 125/250V (Boat), (2) 50A, 125/250V (Dock) 2 Pole Y Adapter	\$6,613.13

DOCKSIDE ADAPTERS

## Ward's Marine Electric Dockside

This portable adapter permits the safe connection of one or two 50 amp 120/240 volt AC shore power cords to a single 100 amp 120/240 volt AC shore power pedestal. Dedicated 50 amp circuit breakers protect each of the 50 amp shore power systems separately. Ask our sales department about our special order unit that permits connection of your 50 amp cords to a 100 amp three phase power source, if certain safety conditions are met.



Item Number	Ratings	Price
64CM100	(2)50A, 120/240VAC (boat), 100A, 120/240VAC (dock)	\$3,075.10

This adapter can be used in conjunction with the Hubbell YQ100PLUS adapter or any 50 amp to 100 amp paralleling adapter that is not equipped with the automatic phase correction feature. The adapter will reverse the phasing of the 50 amp 120/240 volt AC shore power source. This adapter is not necessary with the Ward's Marine Electric SPPA-50 and its unique automatic phase correction feature.



Item Number	Ratings	Price
50/50RVS	50A 220V Phase Rev Adapter (SM Y)	\$451.50



PHASE PLUG TO CONNECTOR

Item Number	Description	Price
M41/M51-100	100A 120/240 1 phase plug to 100A 120/208 3 phase connector	\$2,176.45
M41/M51/480-100	100A 120/240 1 phase plug to 100A 277/480 3 phase connector	\$2,176.45
M51/M41-100	100A 120/208 3 phase plug to 100A 120/240 1 phase connector	\$2,170.00

DOCKSIDE ADAPTERS

## Hubbell Dockside (Continued)







HBL61CM100

Item Number	Description	Price
HBL61CM72	50A, 125V, 2 pole, 3 wire (boat), 50A, 125/250V, 3 pole, 4 wire (dock) twist lock	\$350.88
HBL61CM100	100A (boat), 50A (dock), 125/250V, 3 pole, 4 wire	\$2,477.10









Item Number	Description	Price
HBL31CM28	30A twist lock (boat), 15A straight blade (dock), 125V, 2 pole 3 wire	\$59.41
HBL31CM29	30A (boat), 20A (dock), 125V 2 pole, 3 wire, twist lock	\$54.60
HBL61CM22	30A (boat), 15A (dock), 125V, 2 pole, 3 wire, twist lock	\$111.83
HBL61CM71	30A, 125V, 2 pole, 3 wire (boat), 50A, 125/250V, 3 pole, 4 wire (dock), twist lock	\$291.80
HBL64CM54	(2) 30A, 125V 2 pole, 3 wire, twist lock (boat), 50A, 125/250V, 3 pole, 4 wire, twist lock	\$373.50
HBL105GF	30A twist lock (boat), 15A straight blade (dock), 125V, 2 pole, 3 wire, GFI protected	\$158.15

BOOST FOUIPMENT DOCK POWER CENTERS

## Ward's Marine Electric

- 10% boost
- ABYC compliant
- Portable
- Durable
- Useful for 115/230 volt AC shore power systems
- Suitable for 200-220 volt dock power sources



These portable boost transformers are safe, powerful, and can protect your 115/230 volt AC equipment from many harmful low dock voltage conditions. Both the 100 amp and 50 amp versions are equipped with durable carrying handles and can be conveniently set next to your dockside power pedestal. When

connected, a static 10% voltage boost is delivered to provide safer and more effective power to your boat. There are no manual overrides on these units, so the voltage will be boosted 10% regardless of input voltage. Not suitable for marinas where erratic voltage fluctuations occur.

Item Number	Price
BB208/230-100	\$3,844.25
BB208/230-50	\$1,885.00

### **International Dock Products**

- Can hold up to 4 receptacles
- Extruded aluminum and welded base construction
- Isolated sections
- Individual circuit breakers
- White powder coat finish
- Compact



SPC SERIES

Item Number	Description	Price
Custom units available	call for pricing	
SPC-21-3T-600	Pile Mount: (1)50A, (1)30A, 20 GFI Twist Lock	\$1,006.69
SPC-36-3A-305	Slim Line: (1)50A, (1)30A, (1)20 GFI, TV, Phone, Light, H2O Hose Holder	\$1,337.15
SPC-36-3A-630	Slim Line: (2) 50A (1)20A GFI, Phone, TV, Light with photocell	\$1,416.93
SPB-45-4A-240	Standard Line: 100A, (2) 50A, (1) 20 GFI, H2O, Hose Holder, TV, Phone, and Light	\$2,823.51

# **Hubbell Marine Electrical Products**







#### **Molded Straight Adapters**

Connector Body (Female End)	Catalog Number	Plug (Male End)		
15A 125V, 2P 3W Straight Blade with GFCI protection	[] [hw]	HBL105GF	( ) 1°	30A 125V, 2P 3W Twist-Lock®
30A 125V, 2P 3W Twist-Lock®		HBL61CM22 HBL61CM22W	w I I	15A 125V, 2P 3W Straight Blade (lock type)
30A 125V, 2P 3W Twist-Lock		HBL61CM25	(V.) 1°	20A 125V, 2P 3W Twist-Lock
50A 125V, 2P 3W Twist-Lock		HBL61CM54	w	15A 125V, 2P 3W Straight Blade
30A 125V, 2P 3W Twist-Lock		HBL61CM55	(5° 1)	50A 125V, 2P 3W Twist-Lock
50A 125V, 2P 3W Twist-Lock		HBL61CM56	(°, 1°)	30A 125V, 2P 3W Twist-Lock
30A 125V, 2P 3W Twist-Lock		HBL61CM71		50A 125/250V, 3P 4W Twist-Lock
50A 125V, 2P 3W Twist-Lock		HBL61CM72		50A 125/250V, 3P 4W Twist-Lock
100A 125/250V, 3P 4W Pin & Sleeve		HBL61CM100		50A 125/250V, 3P 4W Twist-Lock



#### 30-Series

Connector Body (Female End)		Catalog Number	Plug (Male End)	
30A 125V, Twist-Lock		HBL104	15A, 125V Straight Blade	
15 or 20A, 125V Straight Blade		HBL105	30A 125V, Twist-Lock	



Molded "Y" Adapters

Connector Body (Female End)	Catalog Number	Plug (Male End)
(2) 30A 125V, 2P 3W Twist-Lock	HBL64CM54	50A 125/250V, 3P 4W Twist-Lock
(2) 50A 125V, 2P 3W Twist-Lock	HBL64CM55	50A 125/250V, 3P 4W Twist-Lock
(2) 30A 125V, 2P 3W Twist-Lock	HBL64CM56	30A 125V, 2P 3W Twist-Lock
(2) 30A 125V, 2P 3W Twist-Lock	HBL64CM57	50A 125V, 2P 3W Twist-Lock





**One Piece Adapters** 

OTTO T TOOO 7 TOTAL PROTOTO		
Connector Body (Female End)	Catalog Number	Plug (Male End)
30A 125V, 2P 3W Twist-Lock	HBL31CM28	15A 125V, 2P 3W Straight Blade
15 or 20A 125V, 2P 3W Straight Blade	HBL31CM29	30A 125V, 2P 3W Twist-Lock
20A 125V, 2P 3W Twist-Lock	HBL21CM28	15A 125V, 2P 3W Straight Blade
15 or 20A 125V, 2P 3W Straight Blade	HBL21CM29	20A 125V, 2P 3W Twist-Lock

## **Hubbell Marine Electrical Products**

#### **Boatside**

30A 125V AC 2-Pole 3-Wire











HBL303NM

HBL303SS

HBL26CM13

HBL60CM33 HBL60CM33W

50A **125V AC** 2-Pole 3-Wire











HBL503NM

HBL503SS

HBL63CM60

HBL77CM15 HBL77CM15W

50A 125/250V AC 3-Pole 4-Wire











HBL504NM

HBL504SS

HBL63CM64

HBL77CM15 HBL77CM15W

100A 125/250V AC 3-Pole 4-Wire






M4100B12R





M4100C12R

100A 3ØY 4-Pole 5-Wire





M5100B9R M5100B7R



M5100C9R M5100C7R

200A 600V AC/250V DC 50-400 Hertz 4-Pole 5-Wire





M5200BS1R

M5200CS1R

**Portable Telephone** Cable TV **Devices** 











Hubbell Incorporated (Delaware) • 40 Waterview Drive, Shelton, CT 06484 • Phone: (800) 288-6000 • Fax: (800) 255-1031

# **Ship-To-Shore Selector Chart**



Dockside

#### Ship-To-Shore



YC310250 - 280' (85,3m) Yellow cable only. WC310280 - 280' (85.3m) White cable only.



- 25' (7.6m) HBL61CM08W & HBL61CM08WLED - 50' (15.2m) HBL61CM03W & HBL61CM03WLED - 25' (7.6m)



HBL60CM31 HBL60CM31W



HBL26CM11



HBL26CM10



HBL74CM25WOA HBL74CM25WOAW



YC306250 - 250' (76.2m) Yellow cable only.

HBL61CM53 & HBL61CM53LED - 50' (15.2m)



**HBL77CM16** HBL77CM16W



HBL63CM61



HBL63CM70



HBL77CM74WO



HBL61CM43 & HBL61CM43LED

YC406250 - 250' (76.2m) Yellow cable only.

- 25' (7.6m)

HBL61CM52 & HBL61CM52LED - 50' (15.2m) HBL61CM42 & HBL61CM42LED - 25' (7.6m) HBL61CM52W & HBL61CM52WLED - 50' (15.2m) HBL61CM42W & HBL61CM42WLED - 25' (7.6m)



HBL77CM16



HBL63CM65



HBL63CM69



HBL77CM74WO



CS1004 - 100' (30.4m) 4-Wire - 75' (22.8m) 4-Wire CS754 CS100IT4 - 100' (30.4m) 3-Wire CS754IT4 - 75' (22.8m) 3-Wire

CW125IT4 - 125' (38.0m) One-ended cable set for winches. CW100IT4 - 100' (30.4m) One-ended cable set for winches. - 75' (22.8m) One-ended cable set for winches.

**CS50EXT4** - 50' (15.2m) Extension cord.



M4100P12



M4100C12



M4100R12



CS100IT5 - 100' (30.4m) 4-Wire CS75IT5 - 75' (22.8m) 4-Wire

CW125IT5 - 125' (38.0m) One-ended cable set for winches. CW100IT5 - 100' (30.4m) One-ended cable set for winches.




M5100P9 M5100P7



M5100C9 M5100C7



M5100R9 M5100R7





M5200PS1



M5200CS1



M5200RS1



PH6630 - 250' (76.2m) Yellow cable only.

PH6599 - 50' (15.2m) PH6598 - 25' (7.6m) PH6599W - 50' (15.2m) PH6598W - 25' (7.6m) 75 Ohm TV Cable.

**TV99** - 50' (15.2m) - 25' (7.6m) TV99W - 50' (15.2m) **TV98W** - 25' (7.6m)



PH6625



PH6596



PH6597T\

#### CARLE MANAGEMENT

## Glendinning

- Completely automatic
- No slip rings needed
- Adjustable cable size
- Power extension/retraction
- Multiple safety features





	CM-8
--	------

Item Number		Volt		Price
	Cabl	emaster CM-7 50 AMP cable	<u> </u>	11100
04020		12		\$1,160.00
04022		24		\$1,185.00
	Cable	emaster CM-8 100 AMP cabl	e	
04091		24		\$2,695.00
Item Number		Description		Price
	Ex	ktension and Angling Kits		
04066		90° angling assembly kit		\$170.00
04065		180° angling assembly kit		\$280.50
42007	3" x 36" PVC tube for horizontal or vertical extension kit		nsion kit	\$23.40
50004		Pipe extension plate		\$6.75
50005		Connector link		\$12.25
		Mounting Brackets		
50006	Overhead mounting bracket			\$24.50
50408	Power unit to container 17" high, can be used on any cablemaster container		\$122.00	
Item Number	Diameter in "	Height in "	Capacity in Ft.	Price
		Cable Storage Container		
Styrene container cap	acity using 6/4 cable (*for 100 A	mp cable)		
85424	18	18	55-60	\$80.00
85421	20	15	70-75	\$92.00
85420	20	18	70-75	\$80.00
85425	22	22	100-110	\$110.00
85480*	29	35	100	\$195.00
Item Number		Description		Price
		Replacement Parts		
04155	Radio remo	te control (12VDC and two transm	nitters)	\$328.00
04099	24/32V CM-8 motor		\$252.00	
04035-PT	12V CM-7 motor		\$115.00	
04036-PT	24/32V CM-7 motor			\$115.00
WP053	Large cluster gear			\$121.50
WP010		Pivot gear assembly		\$101.25

#### CABLE MANAGEMENT

## Glendinning (Replacement Parts)

Item Number	Description	Price
WP054	CM-8 Main shaft assembly	\$166.12
WP055	CM-8 Gear cluster assembly	\$139.12
WP066	CM-7 Pivot gear replacement kit	\$267.24
04830	2 Foot in-limit switch assembly	\$44.00
WP008-8	Out-limit collar for use with CM-8	\$29.00
WP008	Out-limit collar for use with CM-7	\$31.50
90001	In-limit switch	\$21.00
04812	2' in-limit switch assembly w/out ring	\$35.50
04824	Out-limit micro switch assembly	\$21.55
51420	Stripper bolt (for roller)	\$13.00
87405	Chassis gasket for CM-8	\$10.25
81407	Power switch name plate	\$8.51
85413	Flat roller	\$4.50
87404	Chassis gasket for CM-7	\$6.50
90002	Boot for in-limit switch (90001)	\$6.51
85414	Lip roller for use with CM-7	\$4.50
51442	Guide roller bushing for use with CM-7	\$4.55
70449	Guide roller bolt for use with CM-7	\$2.26
72412	Guide roller washer for use with CM-7	\$0.60
85426	Concave roller for CM-8	\$6.00
85442	Lip roller for CM-8	\$4.50
50419	Guide roller assembly offset plate for CM-7	\$9.00
04052	Pipe clamp assembly	\$14.50
50459	Offset bracket for CM-8 extension kit	\$24.48
51458-SK	Hawse pipe hinge spring replacement kit	\$28.56
04040	Pipe end roller assembly	\$35.00
04060	Pipe elbow with rollers 45 degree	\$40.80
04061	Pipe couplers w/rollers 3"	\$33.00
04899	In limit switch for CM-8	\$44.00
04054	Guide roller assembly	\$51.50
04043	Horizontal extension kit	\$62.00
04045	Pipe to pipe angling assembly 45 degree	\$75.00
04046	Guide roller assembly with limit switch	\$75.00
04034	12/24V relay	\$110.00
04080	Cap and hinge assembly for CM-8	\$230.00
04050	30/50 Hawse pipe assembly	\$275.00
51459	Cap & hinge SS H/P CM-7	\$69.36
04093	100A Hawse pipe assembly	\$650.00
04147	Remote for CM-7 and CM-8	\$105.00

SINGLE POLE CAM LOCK DEVICES

## **Single Pole Devices**

- Insulgrip® Style Housing for Superior Gripping
- Non-Conductive Retaining Screw locks contacts in place
- Large Raised Alignment Arrow aids in the mating of devices







SINGLE POLE DEVICES BLACK MALE

SINGLE POLE DEVICES BLACK FEMALE

PROTECTIVE CAPS

Item Number	Male Inline	Female Inline	Price	
	300 Amp Inl	ines		
Black	HBL300MBK	HBL300FBK	\$59.00	
White	HBL300MW	HBL300FW	\$59.00	
Green	HBL300MGN	HBL300FGN	\$59.00	
Red	HBL300MR	HBL300FR	\$59.00	
Blue	HBL300MBL	HBL300FBL	\$59.00	
	400 Amp Inlines			
Black	HBL400MBK	HBL400FBK	\$59.00	
White	HBL400MBK	HBL400FW	\$59.00	
Green	HBL400MGN	HBL400FGN	\$59.00	
Red	HBL400MR	HBL400FR	\$59.00	
Blue	HBL400MBL	HBL400FBL	\$59.00	

## **Protective Caps**

Item Number	Fits Male Devices	Price
	400 Amp Inlines	
Black	HBLMCAPBK	\$36.13
White	HBLMCAPW	\$36.13
Green	HBLMCAPGN	\$36.13
Red	HBLMCAPR	\$36.13
Blue	HBLMCAPBL	\$36.13