

## DIN Rail



DR35MM/AL/30



DIN RAIL

Item Number	Length in Meters	Type	Direction	Price
<b>15 mm</b>				
DR15MM/AL	2	Aluminum	Straight	\$29.94
DR15MM/ST	2	Steel	Straight	\$17.92
<b>35 mm</b>				
DR35MM/AL	1	Aluminum	Straight	\$16.80
DR35MM/AL/30	1	Aluminum	30 Degree	\$25.28
DR35MM/AL/90	1	Aluminum	90 Degree	\$27.64
DR35MM/ST	2	Steel	Straight	\$15.88

## Mini Feed Through Terminal Blocks

- Screw Terminal
- High Grade Copper Alloy
- UL, CUL, and CSA approved
- Can be labeled on one side, use BN-2B Labels



MBK2.5/E



MBKKB2.5



MSLKG2.5

Item Number	Amp Rating	AWG	Max Voltage	Dimensions in mm	Price
MBK2.5/E	24	24-12	250	24.5 x 5.2 x 26.5	\$3.28
MBKKB2.5	24	2 x 24-12	250	62 x 5.2 x 48	\$7.46
MSLKG2.5	34	24-12	Ground	35 x 7.5 x 26.5	\$7.76

## Accessories



EB10-5



FBRNI10-5N

Item Number	Description	Price
<b>Insertion Bridge</b>		
EB10-5	Gray Insertion bridge, Pitch: 5.2mm, 10 positions	\$5.16
<b>Fixed Bridge</b>		
FBRNI10-5N	Silver fixed bridge, Pitch: 5.2mm, 10 position	\$14.96

Images are representative of products listed and may not be actual product.

# Terminals and Devices

15MM TERMINAL BLOCKS AND DEVICES + 35 MM TERMINAL BLOCKS AND DEVICES

## End Stops/Covers



D-MBK2.5/E



D-MBKKB2.5



E/MK1

Item Number	Description	Price
D-MBK2.5/E	End Cover for MBK2.5/E	\$1.26
D-MBKKB2.5	End cover for MBKKB2.5	\$1.52
E/MK1	Din Rail end stop for MBK2.5/E, MBKKB2.5, and MSLKG2.5	\$1.44

## Screw Connection Terminal Blocks

- UL, CUL, BV, DNV, RS and CSA approved
- Compact Design can be labeled
- Low contact resistances
- Cable entry funnel
- Stranded conductors can be used without ferrules
- Screw driver guidance through closed screw shafts



ST2.5 DIO/L-R



SCREW CONNECTION TERMINAL



SCREW CONNECTION BLUE



GROUND TERMINAL



DOUBLE LEVEL TERMINAL



COMPONENT TERMINAL BLOCK

Item Number	AWG	Amps	Dimensions in mm	Volts	Price
<b>Screw Connection Terminal Block</b>					
UT2.5	26-12	32	47.7 x 5.2 x 47.5	800	\$1.22
UT2.5BU	26-12 (Blue)	32	57.8 x 6.2 x 47.5	800	\$1.22
UT6	24-8	57	47.7 x 8.2 x 47.5	800	\$1.74
UT10	20-6	76	47.7 x 10.2 x 46.9	1000	\$2.46
UT16	16-4	101	55.5 x 12.2 x 54.4	1000	\$3.00
UT35	16-1/0	150	60.2 x 16 x 65.1	600	\$6.44
IK70	2/0-4	220	70 x 23 x 71	600	\$41.07
<b>Double Level Terminal Block</b>					
UTTB4	26-10	36	69.9 x 6.2 x 65	800	\$3.46
<b>USLKG Ground Terminal Block</b>					
USLKG2.5	24-12	34	42.5 x 6.2 x 42	—	\$13.14
USLKG10	20-8	61	42.5 x 8.2 x 47	—	\$14.78
USLKG35	18-2	125	50 x 15.2 x 62	—	\$30.48
<b>Component Terminal Block</b>					
UT4-TG	26-10	20	57.8 x 6.2 x 47.5	500	\$2.88

List pricing in catalog is subject to change without notice.

# UT



P-CO

Item Number	Description	Price
<b>Component Plugs</b>		
P-CO	Diode for UT4-TG	\$6.76

## Spring Cage Connections

- Must use SZF-1 Screwdriver
- UL, CUL, VDE, BV, RS, ABS and CSA approved approved
- Uniform marking methods
- Compact space saving designs
- TWIN and QUATTRO are multiple conductor spring terminals



ST SERIES DOUBLE



ST SERIES



ST SERIES TWIN



ST SERIES QUATTRO



SST2.5-DIO/L-R



ST2.5-DIO/R-L

Item Number	AWG	Dimensions in mm	Connections	Price
<b>Feed Through Block</b>				
<b>31 Amps, 800 Volts Rated</b>				
ST2.5	24-12	48.5 x 5.2 x 36.5	1	\$1.96
ST2.5-TWIN	24-12	60.5 x 5.2 x 36.5	3	\$2.26
ST2.5-TWIN-BU	24-12	60.5 x 5.2 x 36.5	4	\$2.26
ST2.5-QUATTRO	24-12	72 x 5.2 x 72	4	\$3.24

### Double Level Terminal Block

<b>31 Amps, 800 volts rated</b>				
STTB2.5	24-12	67.5 x 5.2 x 47.5	2	\$4.60


Item Number	AWG	Amps	Dimensions in mm	Price
<b>ST Ground Block</b>				
ST2.5-PE	24-12	31	48.5 x 5.2 x 36.5	\$6.98

Item Number	Description	Price
<b>Tool</b>		
SZF-1	Screwdriver	\$12.36

# Terminals and Devices

## TERMINAL BLOCKS AND DEVICES

### End Stops/Covers




Item Number	Description	Price
<b>ST Series End Cover</b>		
D-ST2.5	ST2.5	\$1.20
D-ST2.5-QUATTRO	ST2.5 Quattro	\$1.60
D-ST2.5-TWIN	ST2.5 Twin	\$1.80
D-STTB2.5	STTB2.5	\$1.80
<b>UT Series End Cover</b>		
D-UT16	UT16	\$0.90
D-UT2.5/10	UT2.5 thru UT10 series	\$0.70
<b>IK Series End Cover</b>		
IW70	End cover for IK series	\$2.70
<b>35 mm End Stops</b>		
E/NS35N	End Bracket to screw on NS 35, can be equipped with terminal strip marker (special order)	\$1.76
249-116	Screwless end stop	\$1.44
E/UK	Universal end bracket	\$1.82
E/AL-NS-35	Aluminum end bracket	\$8.68

### Bridges

- Specific to terminal type and style
- Terminal size and style must match bridge



FBS2-5



BRIDGE UT SERIES

Item Number	Pitch	Poles	Amps	Price
<b>UT Series</b>				
<b>Last digit in item # designates dimension of terminal width in mm</b>				
FBS2-5	5.2mm	2	24	\$0.70
FBS3-5	5.2mm	3	24	\$1.40
FBS4-5	5.2mm	4	24	\$2.20
FBS5-5	5.2mm	5	24	\$2.72
FBS10-5	5.2mm	10	24	\$5.72
FBS20-5	5.2mm	20	24	\$11.44
FBS2-8	8.2mm	2	41	\$0.88
FBS3-8	8.2mm	3	41	\$1.86
FBS4-8	8.2mm	4	41	\$3.20
FBS10-8	8.2mm	10	57	\$7.50
FBS2-10	10.2mm	2	57	\$2.72
FBS2-12	12.2mm	2	76	\$3.18
FBS2-16	16mm	2	101	\$3.62

List pricing in catalog is subject to change without notice.

### Bolt Connectors

- Screw set AS on both sides, for rail or cable lug conversion
- Gray in color
- 1000 volt UK



UHV50-ASAS



HVM10-1



UHV150-AS/AS



UHV-TP2



UHV-E

Item Number	AWG	Amps	Width	Price
<b>High Current Connectors</b>				
UHV50-AS/AS	6-1/0	150	32	\$40.12
HVM10-1	10-300	269	32	\$20.42
UHV150-AS/AS	2-300	309	46	\$186.10
Item Number	Description			Price
<b>Partitions 180mm</b>				
UHV-TP2	Separating plate, snap on w/o loss of pitch			\$26.18
HVM12/2-TP	Separating barrier			\$3.98
<b>End Piece 7.2mm</b>				
UHV-E	End piece for use with UHV Series to be fitted at both sides of the terminal strip			\$4.84

### Partitions/Plates

- Specific to terminal type and style



ST SERIES



UT SERIES

Item Number	Terminal Type	Price
<b>Terminal Partitions</b>		
ATP-ST-QUATTRO	ST-QUATTRO	\$1.34
ATP-ST-TWIN	ST-TWIN	\$1.26
ATP-ST4	ST4	\$0.92
ATP-STTB4	STTB4	\$1.44
ATP-UT	UT	\$0.82

# Terminals and Devices

## MODULAR BUS BAR SYSTEMS

### Connecting Terminal Blocks

#### Modular Bus Bars

- N, PE, or phase conductor L are connected to central bus bars
- Requires the conductor and/or terminal block to be clearly labeled for corresponding circuit
- Easy to use color coordination: Blue, Black, Green/Yellow



AKG16BU



AKG16BK



AKG16GNYE

Item Number	Amps	Color	Circuit	Price
AKG16BK	76	Black	Phase	\$2.30
AKG16BU	76	Blue	N	\$2.30
AKG16GNYE	76	Green/Yellow	Ground	\$4.34
AKG35BK	125	Black	Phase	\$4.20
AKG35BU	125	Blue	N	\$4.34
AKG35GNYE	125	Green/Yellow	Ground	\$4.34

### Bus Bar



BUS BARS

Item Number	Amps	Size	Price
NLS-CU3/10	140	3 x 10 mm	\$30.64

### Bus Bar Supports



AB/SS



ABN2/SS

Item Number	Rail Amp	Size	Price
AB/SS	1	3 x 10 mm	\$2.50
ABN2/SS	2	3 x 10 mm or 6 x 6 mm	\$2.50

List pricing in catalog is subject to change without notice.

## Marker Strips

- Marker selection dependent on terminal block size



MARKER STRIPS

Item Number	Terminal Block Size	Marker Number (X-X)	Price
<b>(X-X)= Marker Number</b>			
BN-ZB:(X-X)	5.2	1-10, 11-20, thru 91-100	\$4.28
ZB10:(X-X)	10.2	Blank, 1-10, 11-20 thru 61-70	\$4.32
ZB5:(X-X)	5.2	1-10, 11-20 thru 91-100	\$2.80
ZB5:(X-X)	5.2	101-110, 111-120 thru 301-310	\$2.80
ZB5:(X-X)	5.2	311-320, 321-330 thru 391-400	\$2.80
ZB6:(X-X)	6.2	1-10, 11-20 thru 91-100	\$2.80
ZB8:(X-X)	8.2	1-10, 11-20 thru 41-50	\$4.26
ZB8:(X-X)	8.2	51-60, 61-70 thru 311-320	\$4.32

## Feed Through Eurostrips

- Tubular screw clamps
- Flat base
- Made with self extinguishing polyamide
- Easy to cut 12 pole strips
- UL Listed



EUROSTRIPS

Item Number	Amps	Volts	AWG	Price
40-012	15	450	22-16	\$4.78
40-212	30	450	18-12	\$4.90
40-412	40	450	18-10	\$6.11
40-712	63	750	14-6	\$13.41

# Terminals and Devices

## TERMINAL BLOCKS

### Isolated Terminal Blocks

- RoHS compliant
- Standard terminal block
- Tin contact plating
- Brass contact material
- Glass filled thermoplastic body
- 250 volt rated



MOLDED BLOCKS

Item Number	Screw Size	Gang	Dimensions in mm	Price
<b>15 Amps</b>				
TBK15-2	2 x #6	2	1.41 x 0.87 x 0.41	\$2.92
<b>20 Amps</b>				
TBK20-4	4 x #6	4	2.16 x 0.87 x 0.48	\$6.69
TBK20-6	6 x #6	6	2.91 x 0.87 x 0.48	\$9.72
TBK20-8	8 x #6	8	3.66 x 0.87 x 0.48	\$10.52
TBK20-10	10 x #6	10	4.41 x 0.87 x 0.48	\$14.33
<b>30 Amps</b>				
TBK30-2	2 x #8	2	1.62 x 1.12 x 0.53	\$7.33
TBK30-4	4 x #8	4	2.50 x 1.12 x 0.53	\$9.51
TBK30-6	6 x #8	6	3.37 x 1.12 x 0.53	\$13.91
TBK30-8	8 x #8	8	4.25 x 1.12 x 0.53	\$14.45
TBK30-10	10 x #8	10	5.12 x 1.12 x 0.53	\$19.52
TBK30-12	12 x #8	12	6.00 x 1.12 x 0.53	\$22.60
TBK30-15	15 x #8	15	7.31 x 1.12 x 0.53	\$29.66
TBK30-20	20 x #8	20	9.50 x 1.12 x 0.53	\$39.38
<b>65 Amps</b>				
TBK65-2	2 x 1/4	2	4.00 x 2.48 x 1.13	\$12.65
TBK65-4	4 x 1/4	4	6.25 x 2.48 x 1.13	\$21.67
TBK65-6	6 x 1/4	6	8.50 x 2.48 x 1.13	\$29.23
Item Number	Screw #			Price
<b>Jumpers</b>				
JPR-6	6			\$0.45
JPR-8	8			\$0.64

### Common Splicing Terminal Blocks

- Nominal current 35 amp
- Rated voltage EN 400 volt, rated surge voltage 4 kilo volt
- Compact terminal block with operating levers
- Max continuous service temperature 85°C
- Side entry wiring
- UL Approved and RoHS Compliant



222-413



222-412



222-415

Item Number	Connection Points	AWG	Dimensions in mm	Price
222-413	3	28-12	17 x 14.5 x 20.5	\$1.08
222-412	2	28-12	14.5 x 12.4 x 20.5	\$0.72
222-415	5	28-12	26.6 x 14.5 x 20.5	\$1.33

List pricing in catalog is subject to change without notice.



## Junction Blocks

- Provides secure termination
- Large insulator base
- Isolated metal
- Multiple post available
- Rated for under 50 volt use



JUNCTION BLOCKS

Item Number	Amps	Stud Size in "	Dimensions in mm	Post	Price
JB38-2	500	3/8	5.00 x 1.25 x 2.13	2	\$24.76
JB38-4	500	3/8	9.25 x 1.25 x 2.13	4	\$44.55
JB12-1	700	1/2	3.75 x 1.50 x 2.75	1	\$23.51
JB12-4	700	1/2	9.00 x 1.50 x 2.75	4	\$74.97

## Pro Installer Studs

- Power tapping plate: 4 x 4 mm (5/16") terminal
- Maximum current through tapping plate: 50 amp per terminal (4 x 50 amp maximum)
- High temperature, fiber reinforced plastic base provides strength and chemical resistance
- Clear polycarbonate cover with snap out extra cable access
- Stainless steel studs with metric threads
- Dimensions 49 mm x 49 mm



W/ POWER PLATE



DOUBLE



SINGLE

Item Number	Description	Price
<b>No power passes through the stud so no amp rating is given. 50 volt DC</b>		
IST-8MM-1S	8mm, Single	\$18.97
IST-8MM-1SPT	8mm, Single w/ power tapping plate	\$32.00
IST-8MM-2S	8mm, Double	\$30.47
IST-10MM-8MM	10/8mm, Double	\$31.75
IST-10MM-1S	10mm, Single	\$19.27
IST-10MM-1SPT	10mm, Single w/ power	\$33.15
IST-10MM-2S	10mm, Double	\$31.67

## Component Terminal Blocks

Item Number	AWG	AMPS	Price
ST2.5-DIO/L-R	24-12	31 with Integrated Diode	\$10.08
ST2.5-DIO/R/L	24-12	31 with Integrated Diode	\$11.30

# Terminals and Devices

## BUS BARS / POWER POSTS

### Pro Installer Havey Duty Bus Bars

- 4 stud: 500 amp bus bar, 8mm stainless steel studs
- 3, 5, and 8 stud: 650 amp, 10mm stainless steel studs
- 50 volt DC
- Tinned CDA102 copper conductors



777-BB3S-650



777-BB4S-500



777-BB5S-650



777-BB8S-650

Item Number	Studs	Dimensions in mm	Price
777-BB3S-650	3	98 x 49	\$124.37
777-BB4S-500	4	98 x 49	\$113.35
777-BB5S-650	5	147 x 49	\$167.30
777-BB8S-650	8	249 x 49	\$243.40

### Pro Installer Z Bus Bars

- 10 way and 18 way versions
- 4 x 6 mm studs with anti seize lubricant
- 4 mm terminals with captive lock washers
- Stainless steel studs
- 200 amp maximum per bar (2 x 200 amp)
- 50 volt DC
- Tinned CDA copper conductors



777-Z10W-200



777-Z18W-200

Item Number	Way	Dimensions in mm	Price
777-Z10W-200	10	98 x 49	\$45.27
777-Z18W-200	18	147 x 49	\$70.37

### Pro Installer Link Bars

- A range of linking bars to complement the pro installer of products
- High purity copper, tin plated for optimum marine performance
- Space saving design allows for compact installations
- Links can be doubled for higher loads



LINK BARS INSTALLED



PRO INSTALLER LINK BARS

Item Number	Amps	Way	Dimensions in mm	Price
<b>Joiners</b>				
779-LBJ-2	650	2	74 x 25	\$12.15
779-LBJ-3	525	3	123 x 25	\$16.97
779-LBJ-4	450	4	172 x 25	\$21.75
779-LBJ-5	400	5	221 x 25	\$26.75
779-LBJ-6	350	6	270 x 25	\$30.47

Item Number	Dimensions in mm	Price
<b>Kits</b>		
779-LB-BSS	Link bar battery switch set contains: (1) LB-1x (2) LB-2	\$30.35
779-LB-EES	Link bar end set contains: (1) LB-1, (1) LB-2	\$17.42
779-LB-ZS	Link bar Z bus bar set contains: (1) x LBZ-1, (1) LBZ-2	\$12.15

List pricing in catalog is subject to change without notice.

## Power Bus

- Highest amp rated bus bar with 3/8" terminal studs
- Continuous Rating: 545 amp AC/600 amp DC
- Voltage Max Operating: 300 volt AC/ 48 volt DC
- Tin Plated Copper CDA 110/ UNS C11000
- CE certified



2104B



2708

Item Number	Dimensions in mm	Stud Size in "	Price
2104B	7.00 x 2.00 x 2.00	4 x 3/8-16	\$131.27
2107B	11.37 x 2.00 x 2.00	8 x 3/8-16	\$195.92

Item Number	Description	Price
2708	Cover for 2104B	\$25.69

## Maxi Bus

- Insert molded stainless steel studs eliminate need for securing nut and allow high torquing for excellent electrical contact
- Raised bus provides easy access to multiple wires on a single screw or stud
- UL 94-V0 rated base material resists high heat
- Recessed mounting holes eliminate accidental shorts to aluminum and steel mounting surfaces
- Rated for 300 volt AC/ 48 volt DC



2105B



2718

Item Number	Dimensions in mm	Stud Size in "	Price
2105B	7.93 x 1.5 x 1.91	2 x 5/16 & 12 x #10-24	\$78.72
2127B	5.87 x 1.5 x 1.91	4 x 5/16	\$54.37
2718	8.78 x 2.69 x 2.53	Cover for Maxi Bus	\$37.79

# Terminals and Devices

## BUS BARS / POWER POSTS

### Common Bus

- Insert molded stainless steel stud eliminates need for securing nut and allows high torquing for excellent contact
- Industry standard for positive distribution and for the collection of negative or AC ground circuits
- Continuous rating: 130 amp AC/ 150 amp DC
- Voltage max operating: 300 volt AC/ 48 volt DC
- Tin plated copper CDA 110/ UNS C11000
- CE Certified



COMMON BUS



COVER

Item Number	Stud Size in "	Dimensions in mm	Price
2301B	2 x 1/4	6.10 x 1.25 x 1.50	\$24.80
2302B	2 x 1/4	9.25 x 1.25 x 1.50	\$37.40
2303B	4 x 1/4"	5.87 x 1.25 x 1.50	\$31.35

Item Number	Description	Price
2715B	Cover for 2301B and 2303B	\$4.50

### Mini Bus

- Provides convenient busing for limited space applications
- Continuous rating: 100 amp AC/DC
- Voltage max operating: 300 volt AC/ 48 volt DC
- Tin plated copper CDA 110/ UNS C11000
- CE Certified



MINI BUS



COVER

Item Number	Stud Size in "	Dimensions in mm	Price
2304B	5 x #8-32	4.2 x 0.9	\$18.12
2305B	4 x #10-32	4.2 x 0.9	\$19.99

Item Number	Description	Price
2713	Cover for 2304B and 2305B	\$3.79

### Dual Bus

- Combines negative and positive buses for DC systems and neutral and ground buses for AC systems
- Continuous rating: 100 amp AC/DC
- Voltage max operating: 300 volt AC/ 48 volt DC
- Tin plated copper CDA 110/ UNS C11000
- CE Certified



DUAL BUS



COVER

Item Number	Stud Size in "	Dimensions in mm	Price
2701B	5 x #8-32	3.01 x 1.83	\$23.58
2702B	10 x #8-32	5.06 x 1.83	\$30.72

Item Number	Description	Price
2710	Cover for 2702B	\$16.69

List pricing in catalog is subject to change without notice.

## Dual Bus Plus

- Secure clear polycarbonate cover snaps on easily to meet USCG and ABYC standards
- Combines negative and positive buses on one block
- 5 terminal screws per bus and 2 studs per bus
- Cover release button
- Continuous Rating: 130 amp AC/ 150 amp DC
- Voltage Max Operating: 300 volt AC/ 48 volt DC
- Tin plated copper CDA 110/ UNS C11000



2722

Item Number	Stud Size in "	Mounting Screw	Price
2722	1/4, 5 x #10-32	#10(M5)	\$31.89

## Compact Power Bus

- Provides compact high amp busing
- Continuous rating: amperage is determined by wire amperage capacity connected to the power bar compact up to 600 amp
- Voltage max operating: 48 volt DC
- Tin plated copper CDA110/ UNS C11000
- CE Certified



2019

Item Number	Stud Size in "	Mounting Screw	Price
2019	2 x 3/8"-16"	2	\$25.89

## High Amperage Power Posts

- Insulated single stainless steel stud terminates multiple large conductors
- Includes insulator
- Continuous Rating: not rated, amperage flows between terminals stacked on post and is determined by wire and terminals used
- Voltage max operating: 48 volt DC
- CE Certified



2003B



2011B

Item Number	Stud Size in "	Stud Torque	Price
2003B	3/8 x 7/8	140 in lb.	\$14.93
2011B	1/4 x 3/4	70 in lb.	\$9.65

# Terminals and Devices

## BUS BARS / POWER POSTS

### Power Post

- Enables connection of multiple smaller wires in spaces where a traditional bus bar may not fit
- 150 amp bus allows small wire connections at high amperage cable connections
- Includes insulator
- Continuous Rating: 150 amp DC
- Voltage max operating: 48 volt DC
- Tin plated copper
- CE Certified



POWER POST PLUS

Item Number	Stud Size in "	Screw Size	Price
<b>150 Amps</b>			
2102B	5/16 x 3/4	#8-32	\$28.65
2103	3/8 x 3/4	#8-32	\$27.59

### Dual Power Post

- Provides termination point for extending the length of outboard harnesses or other conductors
- Includes Insulators
- Continuous Rating: Not rated, amperage flows between terminals stacked on post and is determined by wire and terminals used.
- Designed for outboard engine installation when factory cables need to be extended



DUAL POWER POST

Item Number	Stud Size in "	Screw Size	Price
2017B	3/8-16	#10 (M5)	\$26.43
2018	3/8-16, 5/16-18	#10 (M5)	\$23.79

List pricing in catalog is subject to change without notice.

### Rings

- Tin plated brass sleeve protects against stress and high vibration
- Permanently attached color coded nylon insulating sleeve extends beyond metal support sleeve
- Funnel ferrule wire entrance
- Operating Temperature continuous duty -67°F(-55°C) to 221°F(105°C)



Item Number	Ring Size	Amount Per Package	Price
<b>22-18 AWG</b>			
TN18-6R-C	6	100	\$16.54
210202	8	25	\$6.03
TN18-8R-C	8	100	\$17.96
TN18-10R-C	10	100	\$19.78
<b>16-14 AWG</b>			
210211	6	25	\$6.03
TN14-6R-C	6	100	\$17.80
210212	8	25	\$6.03
TN14-8R-C	8	100	\$17.80
210213	10	25	\$6.03
TN14-10R-C	10	100	\$17.80
210214	1/4	25	\$7.63
TN14-14R-C	1/4	100	\$19.06
210215	5/16	25	\$7.64
TN14-56R-C	5/16	100	\$24.26
210216	3/8	25	\$7.64
TN14-38R-C	3/8	100	\$18.30
<b>12-10 AWG</b>			
210221	6	25	\$7.86
TN10-6R-C	6	100	\$28.67
210222	8	25	\$8.31
TN10-8R-C	8	100	\$27.31
210223	10	25	\$8.03
TN10-10R-C	10	100	\$27.31
210224	1/4	25	\$9.63
TN10-14R-C	1/4	100	\$30.52
210225	5/16	25	\$9.63
TN10-56R-C	5/16	100	\$30.81
210226	3/8	25	\$9.63
TN10-38R-C	3/8	100	\$31.69
TN10-12R	1/2	1	\$0.66
210227	1/2	25	\$14.00

# Terminals and Devices

## NYLON INSULATED TERMINALS

### Rings (Continued)

Item Number	Ring Size	Amount Per Package	Price
<b>8 AWG</b>			
TN8-10R	10	1	\$0.42
TN8-14R	1/4	1	\$0.42
TN8-56R	5/16	1	\$0.55
TN8-38R	3/8	1	\$0.56
<b>6 AWG</b>			
TN6-14R	1/4	1	\$0.73
TN6-56R	5/16	1	\$1.33
TN6-38R	3/8	1	\$1.33

### Spades

- The spring like tongue snaps around the screw like a Quick Disconnect
- Terminal locked in place until the mounting screw can be tightened



Item Number	Spade Size	Amount Per Package	Price
<b>22-18 AWG</b>			
TN18-6LF-C	6	100	\$18.37
TN18-8LF-C	8	100	\$17.96
<b>16-14 AWG</b>			
TN14-6LF-C	6	100	\$18.33
TN14-8LF-C	8	100	\$18.37
TN14-10LF-C	10	100	\$18.96
<b>12-10 AWG</b>			
TN10-8LF-C	8	100	\$29.37
TN10-10LF-C	10	100	\$30.97

List pricing in catalog is subject to change without notice.



### Window Butt Splices

- Window stamped into the copper splice and covered by nylon
- Window guarantees proper wire insertion and crimp alignment



BUTT SPLICE

Item Number	AWG	Amount Per Package	Price
TN22-BS	22-18	25	\$0.73
TN18-BS-C	22-18	100	\$45.61
210162	16-14	25	\$15.12
TN14-BS-C	16-14	100	\$62.97
210163	12-10	25	\$18.42
TN10-BS-C	12-10	100	\$70.21
TN8-BS	8	1	\$0.68

### Quick Disconnects

- Tin plated brass sleeve protects against stress and high vibration
- Permanently attached color coded nylon insulating sleeve extends beyond metal support sleeve
- Funnel ferrule wire entrance
- Operating Temperature continuous duty -67°F(-55°C) to 221°F(105°C)



FEMALE

Item Number	Disconnect Size	Amount Per Package	Type	Price
<b>22-18 AWG</b>				
<b>Female</b>				
TN18-D110-C	.110	100	Insulated	\$19.11
TN18-D187-C	.187	100	Insulated	\$18.68
TN18-D250-C	.250	100	Insulated	\$17.55
TN18D250FI-C	.250	100	Fully Insulated	\$21.99
<b>Male</b>				
TN18D250MFI-C	.250	100	Fully Insulated	\$24.16
<b>16-14 AWG</b>				
<b>Female</b>				
210818	.250	25	Insulated	\$5.76
TN14-D110-C	.110	100	Insulated	\$17.70
TN14-D187-C	.187	100	Insulated	\$16.74

Images are representative of products listed and may not be actual product.

# Terminals and Devices

## NYLON INSULATED TERMINALS

### Quick Disconnects (Continued)

Item Number	Disconnect Size	Amount Per Package	Type	Price
<b>16-14 AWG</b>				
<b>Female</b>				
TN14-D250-C	.250	100	Insulated	\$17.58
TN14-D250FI-C	.250	100	Fully Insulated	\$21.99
<b>Male</b>				
210819	.250	25	Insulated	\$6.12
TN14-D250M-C	.250	100	Insulated	\$19.23
TN14-D250MFI-C	.250	100	Fully Insulated	\$24.16
<b>Piggy Back</b>				
TN14-PB	.250	1	Insulated	\$0.42
<b>12-10</b>				
<b>Female</b>				
210828	.250	25	Insulated	\$8.25
TN10-D250-C	.250	100	Insulated	\$22.41
TN10-D250FI-C	.250	100	Fully Insulated	\$31.53
<b>Male</b>				
210829	.250	25	Insulated	\$8.31
TN10-D250M-C	.250	100	Insulated	\$32.40
TN10-D250MFI-C	.250	100	Fully Insulated	\$31.34
<b>Piggy Back</b>				
TN10-PB-C	.250	1	Insulated	\$50.25

### Pins & Joints



TN14-SP-C



TN14-SPR-C



WIRE PIN

Item Number	AWG	Amount Per Package	Price
<b>Snap Plugs</b>			
TN14-SP-C (Plug)	16-14	100	\$30.87
TN14-SPR-C (Receptacle)	16-14	100	\$30.40
<b>Wire Pins</b>			
TN18-WP-C	22-18	100	\$19.59
TN14-WP-C	16-14	100	\$23.87
TN10-WP-C	12-10	100	\$33.45

List pricing in catalog is subject to change without notice.

### Pins & Joints (Continued)



WIRE JOINT

Item Number	AWG	Amount Per Package	Price
<b>Wire Joints</b>			
TN18-WJ-C	22-18	100	\$10.55
TN14-WJ-C	16-14	100	\$12.44
TN10-WJ-C	12-10	100	\$22.90

### Kits



220004



MULTIPLE PARTS KIT

Item Number	Description	Price
220002	31 Piece set 18-10 AWG: Connectors, assorted butt, ring, spade, and male/ female disconnects includes crimping tool	\$15.86
220003	120 Piece set 18-10 AWG: Connectors, assorted butt, ring, spade, and male/ female disconnects	\$25.63
220004	121 Piece 18-10 AWG: Connectors, assorted butt, ring, spade, and male/ female disconnects includes crimping tool	\$32.05
TK3	1625 Piece set in case with handle: Connectors, assorted butt, ring, spade, and male/ female disconnects, and crimpers	\$381.84

### Step Butts

- Translucent, adhesive line polyolefin tubing allows visual inspection which prevents wire corrosion and provides a waterproof seal
- Color coded tubing with wire gauge imprint provides easy ID
- UL voltage rating 600 volt
- Temperature rating 221°F (105°C)



STEP BUTT

Item Number	AWG	Price
<b>Sold individually</b>		
THS18-SBS	22-18 & 16-14	\$1.36
THS14-SBS	16-14 & 12-10	\$1.71
THS10-SBS	12-10 & 8	\$2.51

Images are representative of products listed and may not be actual product.

# Terminals and Devices

## HEAT SHRINK TERMINALS

### Spades


- The spring like tongue snaps around the screw like a Quick Disconnect
- Terminal locked in place until the mounting screw can be tightened



SPADE

Item Number	Spade Size	Price
<b>22-18 AWG</b>		
<b>Sold in packages of 100</b>		
THS18-8LF-C	8	\$42.54
THS18-10LF-C	10	\$42.54
<b>16-14 AWG</b>		
THS14-8LF-C	8	\$42.95
THS14-10LF-C	10	\$42.95
<b>12-10 AWG</b>		
THS10-8LF-C	8	\$53.94
THS10-10LF-C	10	\$53.94

### Butt Splices



BUTT SPLICE

Item Number	Amount Per Package	Price
<b>22-18 AWG</b>		
309025	20	\$15.48
THS18-BS-C	100	\$46.66
<b>16-14 AWG</b>		
309125	14	\$15.48
THS14-BS-C	100	\$47.69
<b>12-10 AWG</b>		
309225	10	\$21.40
THS10-BS-C	100	\$61.07
<b>8 AWG</b>		
THS8-BS	1	\$1.74

List pricing in catalog is subject to change without notice.

### Quick Disconnects



Item Number	Type	Amount per package	AWG	Price
<b>Female</b>				
THS18-D250FI-C	Fully Insulated	100	22-18	\$61.33
THS14-D250-C	Non Insulated	100	16-14	\$47.25
THS14-D50FI-C	Fully Insulated	100	16-14	\$59.57
THS10-D250-D	Non Insulated	500	12-10	\$258.68
THS10-D250FI-C	Fully Insulated	50	12-10	\$37.65
<b>Male</b>				
THS18-D250MFI-C	Fully Insulated	100	22-18	\$62.47
THS14-D250MFI-C	Fully Insulated	100	16-14	\$60.70
THS10-250MFI-L	Fully Insulated	50	12-10	\$38.77

### Wire Joints

- Closed end connectors join two to four wires
- Used in environments where corrosion and or vibration are a problem
- Can be used to replace wire nuts and other similar connectors
- Tubing has adhesive seal and eliminates wire pull out



WIRE JOINT

Item Number	AWG	Price
<b>Sold in packages of 50</b>		
THS14-WJ-L	22-14	\$34.14
THS10-WJ-L	18-10	\$44.08

### Bullets



BULLET MALE

Item Number	AWG	Price
<b>Sold in packages of 100</b>		
<b>Female</b>		
THS14-BP180F-C	16-14	\$66.51
THS18-BP180F-C	22-18	\$78.69
<b>Male</b>		
THS14-BP180M-C	16-14	\$42.76
THS18-BP180M-C	22-18	\$42.39

Images are representative of products listed and may not be actual product.

# Terminals and Devices

## HEAT SHRINK TERMINALS

### Rings



RINGS

Item Number	Ring Size	Amount	Per Package	Price
<b>22-18 AWG</b>				
THS18-6R-C	6	100		\$41.92
310225	8	25		\$15.19
THS18-8R-C	8	100		\$41.92
310325	10	25		\$15.19
THS18-10R-C	10	100		\$41.92
THS18-14R-C	1/4	100		\$45.37
THS18-56R-C	5/16	100		\$45.37
<b>16-14 AWG</b>				
THS14-6R-C	6	100		\$41.99
THS14-8R-C	8	100		\$41.99
311225	8	25		\$15.19
311325	10	25		\$15.19
THS14-10R-C	10	100		\$41.99
THS14-14R-C	14	100		\$45.74
311425	1/4	25		\$15.19
311525	5/16	25		\$15.19
THS14-56R-C	5/16	100		\$45.74
THS14-38R-C	3/8	100		\$46.95
<b>12-10 AWG</b>				
312225	8	25		\$20.97
THS10-8R-C	8	100		\$52.77
312325	10	25		\$20.97
THS10-10R-C	10	100		\$52.77



ASST-KS-5000



ASST-KS-9000

### KITS

Item Number	Description	Price
ASST-KS-9000	Sealed crimp connectors 60 pieces	\$33.40
ASST-HST-5000	Sealed crimp connectors 120 pieces	\$75.53

List pricing in catalog is subject to change without notice.

## Rings (Continued)

Item Number	Ring Size	Amount Per Package	Price
<b>12-10 AWG</b>			
312425	1/4	25	\$20.97
THS10-14R-C	1/4	100	\$56.37
312525	5/16	25	\$20.50
THS10-56R-C	5/16	100	\$56.37
<b>8 AWG</b>			
THS8-10R	10	1	\$1.11
THS8-14R	1/4	1	\$1.11
THS8-56R	5/16	1	\$1.11
THS8-38R	3/8	1	\$1.11
THS8-12R	1/2	1	\$1.34

## Butt Splices

- Bonded with a special silver brazing alloy
- May be crimped from any direction



BUTT SPLICE

Item Number	AWG	Price
TB18-BS	22-18	\$0.19
TB14-BS	16-14	\$0.24
TB10-BS	12-10	\$0.52
TB8-BS	8	\$1.03
TB6-BS	6	\$2.60
TB4-BS	4	\$3.00
TB2-BS	2	\$3.70
TB1/0-BS	1/0	\$3.93
TB2/0-BS	2/0	\$5.60
TB4/0-BS	4/0	\$7.36

# Terminals and Devices

## UNINSULATED TERMINALS

### Braze Seam Rings

- Bonded with a special silver brazing alloy
- May be crimped from any direction



BRAZE-SEAM

Item Number	Ring Size	Price
<b>16-14 AWG</b>		
TB14-D250	.250	\$0.15
TB14-14R	1/4	\$0.55
TB14-8R	8	\$0.60
TB14-10R	10	\$0.43
<b>12-10 AWG</b>		
TB10-D250	.250	\$0.29
TB10-14R	1/4	\$0.50
TB10-10R	10	\$0.42
TB10-56R	5/16	\$0.51
TB10-38R	3/8	\$0.47
TB10-8R	8	\$0.81
<b>8 AWG</b>		
TB8-14R	1/4	\$0.58
TB8-56R	5/16	\$0.67
TB8-38R	3/8	\$0.67
TB8-12R	1/2	\$0.93
TB8-10R	10	\$0.58
<b>6 AWG</b>		
TB6-10R	10	\$0.82
TB6-56R	5/16	\$0.89
TB6-58R	5/8	\$4.78
TB6-38R	3/8	\$0.86
TB6-14R	1/4	\$0.82
TB6-12R	1/2	\$1.18
<b>4 AWG</b>		
TB4-14R	1/4	\$1.46
TB4-56R	5/16	\$1.64
TB4-38R	3/8	\$1.55
TB4-12R	1/2	\$2.89
TB4-10R	10	\$1.46

Item Number	Ring Size	Price
<b>2 AWG</b>		
TB2-14R	1/4	\$2.38
TB2-56R	5/16	\$2.41
TB2-38R	3/8	\$2.41
TB2-12R	1/2	\$2.39
<b>1/0 AWG</b>		
TB1/0-14R	1/4	\$3.11
TB1/0-56R	5/16	\$3.62
TB1/0-38R	3/8	\$3.49
TB1/0-12R	1/2	\$3.32
<b>2/0 AWG</b>		
TB2/0-14R	1/4	\$5.25
TB2/0-56R	5/16	\$4.39
TB2/0-38R	3/8	\$4.39
TB2/0-12R	1/2	\$4.35
<b>3/0 AWG</b>		
TB3/0-56R	5/16	\$5.46
TB3/0-38R	3/8	\$5.07
TB3/0-12R	1/2	\$5.19
<b>4/0 AWG</b>		
TB4/0-56R	5/16	\$6.43
TB4/0-38R	3/8	\$6.95
TB4/0-12R	1/2	\$6.69

List pricing in catalog is subject to change without notice.



### Tubular Rings

- Bonded with a special silver brazing alloy
- May be crimped from any direction



TUBULAR

Item Number	Ring Size	Price
<b>8 AWG</b>		
TT8-10R	10	\$1.29
TT8-14R	1/4	\$1.92
TT8-56R	5/16	\$2.27
TT8-38R	3/8	\$1.92
<b>6 AWG</b>		
TT6-10R	10	\$2.73
TT6-14R	1/4	\$2.89
TT6-56R	5/16	\$2.89
TT6-38R	3/8	\$2.89
<b>4 AWG</b>		
TT4-14R	1/4	\$3.05
TT4-56R	5/16	\$3.05
TT4-38R	3/8	\$3.05
TT4-12R	1/2	\$2.90

Item Number	Ring Size	Price
<b>2 AWG</b>		
TT2-14R	1/4	\$4.20
TT2-56R	5/16	\$4.00
TT2-38R	3/8	\$4.20
TT2-12R	1/2	\$4.20
<b>1/0 AWG</b>		
TT1/0-14R	1/4	\$4.72
TT1/0-56R	5/16	\$4.96
TT1/0-38R	3/8	\$4.96
TT1/0-12R	1/2	\$4.72
<b>2/0 AWG</b>		
TT2/0-56R	5/16	\$5.75
TT2/0-38R	3/8	\$5.75
TT2/0-12R	1/2	\$5.75
<b>4/0 AWG</b>		
TT4/0-56R	5/16	\$7.00
TT4/0-38R	3/8	\$7.35
TT4/0-12R	1/2	\$7.00

### Angled Tubular Rings



45 DEGREE ANGLED TUBULAR RING



90 DEGREE ANGLED TUBULAR RING

Item Number	Wire AWG	Ring Size	Price
<b>45 Degree Angled Tubular Ring</b>			
TT8-14R-45	8	1/4	\$4.50
TT6-14R-45	6	1/4	\$4.90
TT4-14R-45	4	1/4	\$5.20
<b>90 Degree Angled Tubular Ring</b>			
TT8-14R-90	8	1/4	\$4.50
TT6-14R-90	6	1/4	\$4.90
TT4-14R-90	4	1/4	\$5.20

Images are representative of products listed and may not be actual product.

# Terminals and Devices

UNINSULATED TERMINALS + BATTERY TERMINALS

## Seamless Barrels

- Crimps in industry standard tooling
- Seamless barrel design
- Can be easily soldered or crimped
- Flared barrel entry for easy wire insertion
- Seamless pads prevent wicking and other types of corrosion
- AWG wire size identification on barrel
- CDA-110 copper stock 100% conductivity
- UL listed, CSA certified



SEAMLESS BARREL

Item Number	Ring Size	Price
<b>2 AWG</b>		
TAE2-14R	1/4	\$2.89
TAE2-38R	3/8	\$2.08
TAE2-56R	5/16	\$2.07
<b>4 AWG</b>		
TAE4-38R	3/8	\$1.60
TAE4-56R	5/16	\$1.60
<b>6 AWG</b>		
TAE6-56R	5/16	\$2.01
<b>8 AWG</b>		
TAE8-10R	10	\$1.08
TAE8-14R	14	\$1.13
TAE8-38R	3/8	\$1.25
TAE8-56R	5/16	\$1.13

## Battery Clamps

### Straight

- Exceeds SAE conductivity standards
- Pure tubular copper barrel provides easier crimping
- Copper to copper connection with cable

### Wing Nut

- Converts standard battery post terminals to a marine connector
- Negative 5/16" with nut
- Positive 3/8" with nut



STRAIGHT



WING NUT



HEAVY DUTY

Item Number	AWG	Charge	Price
<b>Straight</b>			
18163	1/0	Negative	\$7.06
18164	1/0	Positive	\$6.27
18173	2/0	Negative	\$6.28
18174	2/0	Positive	\$6.28
18193	4/0	Negative	\$7.27
18194	4/0	Positive	\$7.27
<b>Wing Nut</b>			
862L-N		Negative	\$9.75
862L-P		Positive	\$9.75
<b>Heavy Duty</b>			
869L-N		Negative	\$11.25
869L-P		Positive	\$11.25

List pricing in catalog is subject to change without notice.

## Ferrules



UNINSULATED

INSULATED

Item Number	AWG	Price
<b>Uninsulated</b>		
<b>Sold as individual unit</b>		
2389	8	\$0.25
2391	6	\$0.33
2395	4	\$0.75
2396	2	\$1.13
2816.0	1/0	\$1.47
2790.0	2/0	\$1.74

Item Number	AWG	Color	Price
<b>Insulated</b>			
<b>Sold in packs of 100, * sold as individual unit</b>			
FI-18-C	18	Yellow	\$15.00
FI-16-C	16	Red	\$15.00
FI-14-C	14	Blue	\$20.00
FI-12-C	12	Gray	\$20.00
FI-10-C	10	Black	\$15.00
FI-14-DBL*	2 x 14	Blue	\$0.15
FI-16-DBL*	2 x 16	Red	\$0.34
FI-18-DBL*	2 x 18	Yellow	\$0.28

## Split Bolts



SPLIT BOLT

Item Number	AWG	Price
SB-8	8	\$5.70
SB-6	6	\$6.45
SB-4	4	\$7.62
SB-2	2	\$12.37
SB-1/0	1/0	\$15.69
SB-2/0	2/0	\$24.34

Images are representative of products listed and may not be actual product.

# Terminals and Devices

TOOLS + HEAT SHRINK TUBING

## Ferrule Crimp Tools

- Works on insulated and non-insulated ferrules



FD2810SQ



FD2410N



1212034



1212722



1212730

Item Number	Description	Crimp Range AWG	Price
FD2810SQ	Square profile crimping tool	28-10	\$118.00
FD2410N	Trapezoidal profile crimping tool	22-10	\$88.00
1212034	Crimpfox 6: Trapezoidal Crimping pliers, for ferrules without insulating collar	24-10	\$175.84
1212722	Crimpfox HS 6: Oval asymmetrical crimping pliers, for fully insulated shrink connectors	20-10	\$304.74
1212730	Crimpfox RCI 6-M: (red, blue, yellow), three marked die stations, unlockable pressure lock, lateral entry	22-10	\$184.90

## Dual Wall

- Flame retardant tubing (except clear) with an internal layer of thermo plastic adhesive which provides a barrier against contaminants
- Highly flexible for conforming to irregular shapes
- Protection of marine wire splices and harness breakouts
- Adhesive lining provides a seal against corrosion
- Shrink ratio 3 to 1



DUAL WALL

Item Number	Length in "	Amount Per Package	Color	Price
<b>1/2" Diameter</b>				
HSDW-1/2B-12	12	1	Black	\$2.47
HSDW-1/2B-48	48	1	Black	\$9.88
HSDW-1/2B-4PK	12	4	Black	\$9.60
HSDW-1/2BU-12	12	1	Blue	\$3.54
HSDW-1/2C-12	12	1	Clear	\$2.47
HSDW-1/2G-12	12	1	Green	\$3.54
HSDW-1/2R-12	12	1	Red	\$2.47
HSDW-1/2R-48	48	1	Red	\$9.88
HSDW-1/2R-4PK	12	4	Red	\$9.88
HSDW-1/2W-12	12	1	White	\$3.54
<b>1/4" Diameter</b>				
HSDW-1/4B-12	12	1	Black	\$2.08
HSDW-1/4B-48	48	1	Black	\$6.31
HSDW-1/4B-4PK	12	4	Black	\$6.31
HSDW-1/4BU-12	12	1	Blue	\$1.96
HSDW-1/4C-12	12	1	Clear	\$1.58
HSDW-1/4G-12	12	1	Green	\$1.96
HSDW-1/4R-12	12	1	Red	\$1.58
HSDW-1/4R-48	48	1	Red	\$6.31
HSDW-1/4R-4PK	12	4	Red	\$6.31
HSDW-1/4W-12	12	1	White	\$1.96

List pricing in catalog is subject to change without notice.

### Dual Wall (Continued)

Item Number	Length in "	Packaged Amount	Color	Price
<b>1/8" Diameter</b>				
HSDW-1/8B-12	12	1	Black	\$1.49
HSDW-1/8B-48	48	1	Black	\$5.97
HSDW-1/8B-4PK	12	4	Black	\$5.98
HSDW-1/8C-12	12	1	Clear	\$1.80
HSDW-1/8R-12	12	1	Red	\$1.49
HSDW-1/8R-48	48	1	Red	\$5.97
HSDW-1/8R-4PK	12	4	Red	\$5.97
<b>1" Diameter</b>				
HSDW-1B-12	12	1	Black	\$5.33
HSDW-1B-48	48	1	Black	\$21.33
HSDW-1BU-12	12	1	Blue	\$9.65
HSDW-1G-12	12	1	Green	\$9.66
HSDW-1R-12	12	1	Red	\$5.33
HSDW-1R-48	48	1	Red	\$21.33
HSDW-1W-12	12	1	White	\$9.66
HSDW-1Y-12	12	1	Yellow	\$9.66
<b>3/16" Diameter</b>				
HSDW-3/16B-12	12	1	Black	\$1.55
HSDW-3/16B-48	48	1	Black	\$6.19
HSDW-3/16B-4PK	12	4	Black	\$6.19
HSDW-3/16BU-12	12	1	Blue	\$1.88
HSDW-3/16G-12	12	1	Green	\$1.88
HSDW-3/16R-12	12	1	Red	\$1.55
HSDW-3/16R-48	48	1	Red	\$6.19
HSDW-3/16R-4PK	12	4	Black	\$6.19
HSDW-3/16W-12	12	1	White	\$1.88
<b>3/4" Diameter</b>				
HSDW-3/4B-12	12	1	Black	\$3.56
HSDW-3/4B-48	48	1	Black	\$14.24
HSDW-3/4B-4PK	12	4	Black	\$14.24
HSDW-3/4BL-12	12	1	Blue	\$4.56
HSDW-3/4C-12	12	1	Clear	\$3.56
HSDW-3/4G-12	12	1	Green	\$4.56
HSDW-3/4R-12	12	1	Red	\$3.56
HSDW-3/4R-48	48	1	Red	\$14.24
HSDW-3/4R-4PK	12	4	Red	\$14.24
HSDW-3/4W-12	12	1	White	\$4.56
<b>3/8" Diameter</b>				
HSDW-3/4Y-12	12	1	Yellow	\$4.56
HSDW-3/8B-12	12	1	Black	\$1.88
HSDW-3/8B-48	48	1	Black	\$7.51
HSDW-3/8B-4PK	12	4	Black	\$7.51
HSDW-3/8BL-12	12	1	Blue	\$2.44

Images are representative of products listed and may not be actual product.

# Terminals and Devices

## HEAT SHRINK TUBING

### Dual Wall (Continued)

Item Number	Length in "	Packaged Amount	Color	Price
HSDW-3/8C-12	12	1	Clear	\$1.88
HSDW-3/8G-12	12	1	Green	\$2.44
HSDW-3/8R-12	12	1	Red	\$1.88
HSDW-3/8R-48	48	1	Red	\$7.51
HSDW-3/8R-4PK	12	4	Red	\$7.51
HSDW-3/8W-12	12	1	White	\$1.88
HSDW-3/8Y-12	12	1	Yellow	\$2.44

Item Number	Description	Price
<b>Kit</b>		
HSDW-KIT	110 Piece kit 6"	\$80.36
301506	Multiple pieces from 3/16- 3/4"	\$17.98

### Heavy Wall

- Shrink ratio 3 to 1
- Sturdy heavy wall tubing with excellent insulating, abrasion resisting, and strain relieving properties
- Thermo plastic adhesive provides superior environmental protection
- Direct burial, underwater environments
- Meets UL 486D



HEAVY WALL



ASST-HST-5025

Item Number	Size in "	Color	Price
HSHW-3/8B-12	0.375	Black	\$7.86
HSHW-3/4B-12	0.75	Black	\$7.87
HSHW-1.1B-12	1.1	Black	\$9.83
HSHW-3/8R-12	0.375	Red	\$7.86
HSHW-3/4R-12	0.375	Red	\$7.87
HSHW-1.1R-12	1.1	Red	\$10.00
HSHW-1.5(X)-12	1.50	B	\$15.72
HSHW-2B-12	2.00	B	\$21.34
HSHW-3B-12	3.00	B	\$30.99

#### Kit

Item Number	Description	Price
ASST-HST-5025	Heavy wall heat shrink tubing	\$55.45

### End Caps

- Shrink ratio 3 to 1
- Dual wall end cap with internal wall of hot melt adhesive provides excellent bonding to plastic and metals
- Shrink temperature 120°C-135°C
- Continuous use temperature of up to 110°C



END CAPS

Item Number	Size in "	AWG	Price
HSC-1/2	.16-.39	8-4	\$4.00
HSC-3/4	.31-.79	4-3/0	\$5.93
HSC-1	1	2-4/0	\$5.60
HSC-1.5	.59-1.57	4/0>	\$6.25

List pricing in catalog is subject to change without notice.