

DT Series

- Offers the designer the ability to use multiple size 16 contacts, each with 13 amp continuous capacity within a single shell
- 14-20 AWG
- In line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Wedglock assures contact alignment and retention, **must be ordered to complete connector**




DT SERIES

Item Number	Pin Config.	Price
Pins		
Ref. Chart for Pin Configuration		
DT04-12PA	12	\$10.96
DT04-08PA	8	\$7.56
DT04-6P	6	\$5.16
DT04-4P	4	\$3.32
DT04-3P	3	\$2.52
DT04-2P	2	\$1.48
Sockets		
DT06-12S	12	\$12.36
DT06-08SA	8	\$7.76
DT06-6S	6	\$5.24
DT06-4S	4	\$3.64
DT06-3S	3	\$2.84
DT06-2S	2	\$2.72

Item Number	Pin Config.	Price
Pin Wedglock		
W12P	12	\$0.80
W8P	8	\$0.68
W6P	6	\$0.52
W4P	4	\$0.40
W3P	3	\$0.28
W2P	2	\$0.28
Socket Wedglock		
W12S	12	\$0.80
W8S	8	\$0.68
W6S	6	\$0.52
W4S	4	\$0.40
W3S	3	\$0.28
W2S	2	\$0.28

DT & DT BUSSED SERIES 16 CONTACTS



Images are representative of products listed and may not be actual product.

Wiring Devices

DEUTSCH MULTI PIN CONNECTORS

DTP Series

- Offers the designer the ability to use multiple size 12 contacts, each with a 25 amp continuous capacity within a single shell
- 10-14 AWG
- In line, flange, or PCB mount
- Rectangular, thermoplastic housing
- Wedgelock assures contact alignment and retention, **must be ordered to complete connector**




DTP SERIES

Item Number	Pin Config.	Price
Ref. Chart for Pin Configuration		
Pins		
DTP04-2P	2	\$5.56
DTP04-4P	4	\$11.20
Sockets		
DTP06-2S	2	\$5.12
DTP06-4S	4	\$9.00
Pin Wedgelock		
WP-2P	2	\$0.64
WP-4P	4	\$0.80
Socket Wedgelock		
WP-2S	2	\$0.44
WP-4S	4	\$1.24

DTP SERIES SIZE 12 CONTACTS



2
2 SIZE 12



4
4 SIZE 12

Common Contacts

- Nickel plated
- Solid pins and sockets
- Multiple AWG available



COMMON CONTACTS

Item Number	AWG	Size	Current Ratings Amp	Price
Pins				
0460-202-16141	16-20	16	13	\$1.45
0460-215-16141	14	16	13	\$2.00
0460-204-12141	12-14	12	25	\$1.00
Sockets				
0462-201-16141	16-20	16	13	\$0.92
0462-209-16141	14	16	13	\$2.00
0462-203-12141	12-14	12	25	\$1.80

Tools

Multi Tool

- Multi use tool with a small hook on one end to remove the wedgelock and a small screwdriver on the other end to push back the locking fingers and release the contact

Crimper

- No need to change dies or locators
- Provides symmetrical four indent crimp
- Compact and easy to use for field service
- Sturdy and reliable for low volume production



REMOVAL TOOL

HDT-48-00

Item Number	Description	Price
Hand Tools		
DT/RT1	DT/DTP Removal Tool	\$32.64
HDT-48-00	Crimp tool for contacts: 14,16,18	\$305.33
CT4-8	Crimp tool for contacts: 14,16,18	\$104.00

Item number	Size	Color	Price
Pin Removal Tool			
0411-240-2005	20	Red	\$4.65
0411-310-1605	16	Blue	\$4.65
0411-291-1405	14	Green	\$4.65
114010	12	Yellow	\$7.08
114008	8	Green	\$9.60
114009	4	White	\$13.08

Images are representative of products listed and may not be actual product.

Wiring Devices

PLUG AND SOCKET CONNECTORS + STRAIGHT BLADE CONNECTORS

Hella

- Chrome assembly screw terminal mounting options
- Plastic assembly 2,3,4 pin screw terminal mounting
- For exterior or interior installation
- IP67



PLUG AND SOCKET PLASTIC



PLUG AND SOCKET

Item Number	Max Load	Pins	Price
Plastic plug assembly, silver plated contacts			
62871	16@12V/ 8@24V	2	\$48.89
62872	16@12V/ 8@24V	3	\$53.33
62873	16@12V/ 8@24V	4	\$55.56
62874	10@12V/ 5@24V	7	\$55.56
Chrome brass plug assembly, brass contacts			
62876	22@ 12V	2	\$39.44
62879	22@ 12V	3	\$31.11
62882	22@ 12V	4	\$31.11

Hubbell

- UL Listed
- CSA Certified
- Strain relief
- Made from corrosion resistant materials



HBL52CM69C



HBL53CM69C

Item Number	Ratings	Description	NEMA	Cord Diameter	IP	Price
15 Amp						
HBL1547	15A 125V	Straight blade female connector body, Elasto-Grip dust tight, 2- pole 3-wire grounding, yellow	5-15R	.30" - .65"	20/55	\$41.59
HBL52CM69C	15A 125V	Straight blade female connector body, corrosion resistant, 2-pole 3-wire grounding, yellow	5-15R	.23" - .72"	20	\$40.94
20 Amp						
HBL53CM69C	20A 125V	Straight blade female connector body, corrosion resistant, 2-pole 3-wire grounding, yellow	5-20R	.23" - .72"	20	\$57.37

List pricing in catalog is subject to change without notice.

Hubbell

- UL Listed
- CSA Certified
- Strain relief
- Corrosion resistant



FISHING REEL



30 AMP

Item Number	Rating	Description	NEMA	Cord Diameter	IP	Price
30 Amp						
HBL2623	30A 250V	Insulgrip black and white nylon, connector	L6-30R	.36" - .93"	20	\$112.01
HBL2713	30A 125/250V	Insulgrip black and white nylon, plug	L14-30R	.35" - 1.15"	20	\$153.86
HBL2723	30A 3Ø 250V	Insulgrip black and white nylon, connector	L15-30R	.35" - 1.15"	20	\$152.18

Item Number	Rating	Description	Price
30 Amp Fishing Reel			
HBL328DCR	30A 28 ^{VDC}	Yellow locking single receptacle with abuse resistant face	\$50.50
HBL328DCP	30A 28 ^{VDC}	Yellow locking plug has rugged nylon housing and rear dust seal	\$41.73
HBL328DCC	30A 28 ^{VDC}	Yellow locking connector body has rugged, nylon housing and rear dust seal	\$82.48

Hubbell

- UL Listed
- CSA Certified
- IP20 Stability
- Will accept both 15 amp 125 volt and 20 amp 125 volt



HBL61CM64

Item Number	Color	Description	Rating	Price
HBL61CM64	Gray	Compact nylon panel mount inlet ideal for bass boat battery charging connection. Has gasketed spring-loaded lift cover for weatherproofing front and neoprene boot for weatherproofing rear, 2 pole, 3 wire	15A 125V	\$66.65

Marinco

- Low profile cap won't catch fishing line
- Mounts easily to fiberglass and aluminum hulls
- Perma-Lock terminals and color coded wire entrance holes
- UV resistant housing/cap



150BBI

Item Number	Color	Description	Rating	Price
150BBI	Black	Hard wired charger inlet	15A/20A, 125V	\$29.83

Images are representative of products listed and may not be actual product.

Wiring Devices

STRAIGHT BLADE PLUGS + TWIST LOCK PLUGS

Hubbell

- IP20 Stability
- UL Listed
- CSA Certified
- Optional accessories available
- Twist lock devices



HBL1447



HBL5266CA



HBL53CM66

Item Number	Description	Cord Diameter	Voltage	NEMA	Price
15 Amp					
HBL1447	Yellow elastomer, dust tight, IP20	.300" - .655"	125	5-15P	\$24.08
HBL5266CA	Insulgrip 8 position angle, black and white nylon	.325" - .655"	125	5-15P	\$33.99
HBL5666C	Insulgrip, black and white nylon	.230" - .720"	250	6-15P	\$31.67
Item Number	Description	Cord Diameter	Voltage	NEMA	Price
20 Amp					
HBL53CM66	Corrosion resistant yellow nylon	.230" - .720"	125	5-20P	\$35.15

Hubbell

- IP20 Stability
- UL Listed
- CSA Certified
- Self grounding
- Additional shroud kits available



INSULGRIP BLACK AND WHITE



INSULGRIP YELLOW

Item Number	Description	Cord Diameter	Voltage	NEMA	Price
20 Amp					
HBL2411	Twist-Lock®, industrial, male plug, 3-pole 4-wire grounding, screw terminal, black and white	.35" - 1.15"	125/250	L14-20P	\$54.46
HBL2421	Twist-Lock®, industrial, male Insulgrip® plug, 3-phase, 3-pole 4-wire grounding, screw terminal, black and white nylon.	.35" - 1.15"	250	L15-20P	\$58.20
HBL23CM11	Twist-Lock®, marine grade, male plug, 2-pole 3-wire grounding, screw terminal, yellow	.360" - .930"	125	L5-20P	\$34.13
30 Amp					
HBL2621	Industrial, male plug, 2-pole 3-wire grounding, screw terminal, black and white	.360" - .930"	250	L6-30P	\$56.26
HBL2711	Insulgrip black and white nylon	.35" - 1.15"	125/250	L14-30P	\$74.29
HBL2721	Industrial, male plug, 3-pole 4-wire grounding, screw terminal, black and white	.35"-1.15"	3Ø 250	L14-30P	\$74.55

Pass & Seymour



PS5266-X



PS5269X

Item Number	Description	Cord Size	NEMA	Price
PS5266-X	Industrial grade standard Straight blade connector, black/white	.230- .690in.	5-15R	\$8.13
PS5269X	15 Amp Industrial Grade Standard Straight Blade Connector, black/white	.230- .690in.	5-15R	\$15.00

List pricing in catalog is subject to change without notice.

Decora

- UL Listed
- CSA Certified
- High impact nylon face
- Resist breaking, chipping, and cracking
- Smooth high gloss finish



WHITE DECORA

Item Number	Color	NEMA	Description	Type	Price
15 Amp 125 Volt					
DR15WHI	White	15-20R	Style line high impact nylon face Note: will accept locking fork terminal to comply with ABYC standard	Duplex	\$8.50

Hubbell

- UL Listed
- CSA Certified
- RoHS Compliant
- CR Series may follow ABYC standards



CR15 AND CR20



HBL61CM64



HBL53CM61



HBL61CM65



HBL53CM62 &
HBL52CM62

Item Number	Color	NEMA	Description	Type	Price
15 Amp 125 Volt					
CR15GRY	Grey	5-15R	Receptacle commercial grade 2 pole, 3 wire grounding	Duplex	\$3.25
HBL52CM62	Yellow	5-15R	Extra heavy duty flush nylon face weather resistant, back and side wired multiple drive screws	Duplex	\$44.45
HBL61CM64	Grey	5-15P	Male inlets, weatherproofed, marine, 2-pole 3-wire grounding, IP44	Inlet	\$66.65
20 Amp 125 Volt					
HBL53CM61	Yellow	5-20R	Receptacles, marine grade, 2-pole 3-wire grounding, Chem-Marine	Single	\$42.18
HBL61CM65	Grey	5-20R	Outlet, flanged, marine, 2-pole 3-wire grounding IP44	Single	\$67.68
HBL53CM62	Yellow	5-20R	Receptacle, marine grade, 2-pole 3-wire grounding, Chem-Marine	Duplex	\$58.58
CR20GRY	Grey	5-20R	Receptacle commercial grade 2 pole, 3 wire grounding	Duplex	\$4.02
CR20WHI	White	5-20R	Receptacle commercial grade 2 pole, 3 wire grounding	Duplex	\$4.02

Images are representative of products listed and may not be actual product.

Wiring Devices

RECEPTACLES + GFCI

Hubbell

- IP20 Stability
- UL Listed
- CSA Certified
- Locking Devices
- Twist-Lock®



HBL23CM10



HBL2710

Item Number	Color	Description	Volt	NEMA	Type	Price
20 Amp						
HBL23CM10	Yellow	Corrosion resistant flush mount receptacle, 2 pole, 3 wire grounding	125	L5-20R	Single	\$44.90
30 Amp						
HBL2620	Black	Flush nylon face, back and side wired	250	L6-30R	Single	\$70.30
HBL2710	Black	Flush nylon face, back and side wired	125/250	L14-30R	Single	\$101.59

Hubbell

- UL943 Listed
- Commercial grade
- Lock out capabilities
- GF and GFR series have LED indicator light
- NEC & ABYC compliant
- LED flashes when no ground fault protection is present
- Test button



GFBFST20I



GFRST20

Item Number	Color	Description	Ratings	NEMA	Type	Price
GFBFST20I	Ivory	Self test faceless GFCI, 2-pole 3-wire grounding	20A 125V	5-20R	Faceless	\$40.58
GFBFST20W	White	Self test faceless GFCI, 2-pole 3-wire grounding	20A 125V	5-20R	Faceless	\$45.71
GFRST20	Brown	Self test, GFCI 2-pole 3-wire grounding	20A 125V	5-20R	Duplex	\$45.71
GFRST20I	Ivory	Self test, GFCI 2-pole 3-wire grounding	20A 125V	5-20R	Duplex	\$45.71
GFRST20W	White	Self test, GFCI 2-pole 3-wire grounding	20A 125V	5-20R	Duplex	\$45.71

List pricing in catalog is subject to change without notice.

Blanks

- UL Listed
- CSA Certified
- HBL60CM88: marine grade components
- Fade resistant
- Includes matching screws



HBL60CM88



E980C



240AL

Item Number	Color	Gang	Price
HBL60CM88	Yellow	Valox for use with FS and FD types	\$30.13
E980C	Gray	Weatherproof cover, single gang	\$9.61
E980CW	White	Weatherproof cover, single gang	\$7.91
240AL	Aluminium	Weatherproof cover, single gang	\$3.81
E9802CN	Gray	Weatherproof cover, double gang	\$6.70

Weatherproof

- UL Listed (except when noted)
- CSA Certified (except when noted)



HBL1795



HBL17CM50



E98TSC



CWP26CR



HBL52CM21

Item Number	Color	Gang	Price
Switch			
CWP26CR	Gray	Weatherproof covers, 1-gang, 1) GFCI opening, standard size	\$45.03
CWP26CRW	White	Weatherproof covers, 1-gang, 1) GFCI opening, standard size	\$45.03
HBL1795	Clear	Clear silicone rubber bubble plate for use with all AC toggle switches and PresSwitches Note: Not CSA Certified	\$58.20
HBL17CM50	Yellow	Neoprene plate for use only with PresSwitches. Note: Not UL listed	\$55.50
E98TSC	Gray	Toggle switch cover for single switch application, SG non-metallic	\$16.89
E980TSCCMCAR	White	Toggle switch cover for single switch application, SG non-metallic	\$20.05
Receptacle			
CWP26CR	Gray	Weatherproof covers, 1-gang, 1) GFCI opening, standard size	\$45.06
CWP26CRW	White	Weatherproof covers, 1-gang, 1) GFCI opening, standard size	\$43.75
HBL52CM21	Yellow	Valox spring loaded lift cover for weatherproofing duplex, receptacles stainless steel screws and neoprene gasket included for mounting to FS/FD type boxes	\$65.00
HBL52CM21W	White	Valox spring loaded lift cover for weatherproofing duplex, receptacles stainless steel screws and neoprene gasket included for mounting to FS/FD type boxes	\$65.00

Images are representative of products listed and may not be actual product.

Wiring Devices

HUB OUTLETS + RCBD

USB Chargers

- Two USB ports 5 amp, 5 volt DC type A, 2.0
- Tamper resistant decorator duplex
- Green LED indicator to show USB power available
- Impact and chemical resistant
- Back and side wire for solid or stranded wire
- Flush fit design
- Compatible with USB 1.1/2.0/3.0 devices, including Apple products
- UL498 and UL1310 Listed
- USB charger duplex receptacle, 15A 125V, 2-pole 3-wire grounding, 5-15R, AMPS 5




USB CHARGERS

Item Number	Color	Outlet Number	Amps	Price
USB15A5BK	Black	2	5/2.5 per USB	\$54.60
USB15A5W	White	2	5/2.5 per USB	\$54.60

IDEA

- 16 amp residual current breaker with over current protection
- Voltage 120-230 volt
- 3000 amp
- 2 modules
- 1P+N residual current breakers with overcurrent protection (RCBO)
- Breaking capacity 3000 A - 2 modules
- Depth: 38 mm



16511.16.6.B



16511.16.6

Item Number	Color	Volts	Protection	Price
16511.16.B	White	120/230, 50/60Hz	10mA	\$274.55
16511.16.6.B	White	120/230, 50/60Hz	6mA	\$428.40
16511.16	Grey	120/230, 50/60Hz	10mA	\$274.55
16511.16.6	Grey	120/230, 50/60Hz	6mA	\$428.40

List pricing in catalog is subject to change without notice.

Vimar

- Balanced and noiseless rocking action
- LV Directive
- EN 60669-1
- Idea international series



IDEA

Item Number	Color	Pole	Way/Contact	Volts	Price
16001	Gray	1	1	250 V~	\$11.40
16001.B	White	1	1	250 V~	\$11.40
16005	Gray	1	2	250 V~	\$13.80
16005.B	White	1	2	250 V~	\$13.80
16016	Gray	2	1	250 V~	\$20.65
16121	Gray	1	Two10A Independents	250 V~	\$26.05
16121.B	White	1	Two10A Independents	250 V~	\$26.05
16150	Gray	Two way	Directional Arrows	250 V~	\$27.00
16150.B	White	Two way	Directional Arrows	250 V~	\$27.00

Vimar

- Idea international series
- 2P+E
- Available in Gray or White only



16203



16245.B



16246

Item Number	Color	Description	Price
IDEA Series			
16203	Gray	SICURY 2P+E Italian standard socket outlets 250 V~	\$14.05
16245	Gray	Socket outlets 127 V~ - USA and Arabian standard	\$13.33
16245.B	White	Socket outlets 127 V~ - USA and Arabian standard	\$13.33
16246	Gray	Socket outlets 127 V~ Two 15 A, 3 module USA and Arabian Standard	\$26.05

Wiring Devices

INTERNATIONAL GFCI + INTERNATIONAL AC DIMMERS

Vimar

- IDEA international series
- 125 volt, 20 amp GFCI
- Class A
- Trip indicator
- *NOT UL listed*



16296



16296B

Item Number	Color	Description	Price
16296	Gray	Double 2P+E 15 A 125 V~ socket outlet, American standard with GFCI, with built-in mounting frame, to complete with 3-module cover plate	\$50.88
16296.B	White	Double 2P+E 15 A 125 V~ socket outlet, American standard with GFCI, with built-in mounting frame, to complete with 3-module cover plate	\$50.88

Vimar

- Pushbutton dimmers use MASTER function & TRIAC technology
- Visible in darkness



ROTARY POTENTIOMETER



PUSHBUTTON

Item Number	Color	Description	Price
16557	Gray	Dimmer, 120 V~ 50-60 Hz, for: 30-500 W incandescent lamps, 30-300 VA ferromagnetic transformers, control and regulation by rotary potentiometer, visible in darkness	\$71.88
16608	Gray	Dimmer, supply voltage 120-230 V~ 50-60 Hz for: 40-500/40-800 W incandescent lamps and 40-300/40-500 VA ferromagnetic transformers, control and regulation with built-in or from peripheral NO push buttons, MASTER function, TRIAC technology, visible in darkness	\$109.93
16608.B	White	Dimmer, supply voltage 120-230 V~ 50-60 Hz for: 40-500/40-800 W incandescent lamps and 40-300/40-500 VA ferromagnetic transformers, control and regulation with built-in or from peripheral NO push buttons, MASTER function, TRIAC technology, visible in darkness	\$109.93
16563	Gray	Dimmer 230 V~ 50-60 Hz for: 100-500 W incandescent lamps, control by push-push 2-way switch, regulation by rotary potentiometer, visible in darkness	\$73.45

List pricing in catalog is subject to change without notice.

Vimar



16292



16334



16336



16368

Item Number	Color	Description	Price
16292	Gray	5 V 1,5 A power supply unit for electronic devices, 1 USB port, supply voltage 120-230 V~ 50/60 Hz	\$48.85
16334	Gray	Socket outlet with HDMI connector, Keystone fixing	\$53.15
16334.B	White	Socket outlet with HDMI connector, Keystone fixing	\$53.15
16336	Gray	RJ12 phone jack, 6-position 6-conductor (6/6), screw terminal	\$37.45
16337	Gray	RJ45 phone jack, 8-position 8-conductor (8/8), screw terminal	\$43.08
16337.B	White	RJ45 phone jack, 8-position 8-conductor (8/8), screw terminal	\$43.08
16368	Gray	Socket outlet with USB connector, screw terminals	\$31.20
16368.B	White	Socket outlet with USB connector, screw terminals	\$31.20

Accessories

- Voltage Converter, 8-40VDC- 5VDC, 3A
- Converts USB Media Port to a 5V Charging Port



IL-CONV15WDC-DC

Item Number	Description	Price
IL-CONV15WDC-DC	Voltage Converter, 8-40VDC- 5VDC, 3A Converts USB Media Port to a 5V Charging Port	\$30.00

Vimar

- Technopolymer highly resistant to impacts and deformation
- 20% increase inner space to ease accommodation of all equipment and necessary cables
- Knockouts can be opened without the use of a tool



V71703



V71701



V71303.AU

Item Number	Description	Price
IDEA Series Flush Mounting Box		
V71303.AU	3-module flush mounting box, (Glow Wire 960 °C), for masonry walls, black	\$2.61
V71304.AU	4-module flush mounting box, (Glow Wire 960 °C), for masonry walls, black	\$6.60
V71701	Round mounting boxes (GW 850 °C) for hollow walls, light blue. Suitable only for mounting frames without screws	\$6.34
V71703	3-module mounting frame (GW 850 °C) for hollow walls, light blue	\$6.10
V71704	4-module mounting frame (GW 850 °C) for hollow walls, light blue	\$7.72
V71706	6-module mounting frame (GW 850 °C) for hollow walls, light blue	\$11.61

Images are representative of products listed and may not be actual product.

Wiring Devices

INTERNATIONAL BOXES & FRAMES

Vimar (Continued)



SURFACE MOUNT-IP40



SURFACE MOUNT-IP55



FLUSH SURFACE MOUNT-IP55

Item Number	Description	Price
IDEA Series Surface Mounting Box		
13021.A	IP40 surface enclosure for 1 8000 standard module, ivory	\$7.50
13022.A	IP40 surface enclosure for 2 8000 standard module, ivory	\$5.70
13023.A	IP40 surface enclosure for 3 8000 standard module, ivory	\$5.28
13523	IP55 surface enclosure for 2 Idea modules or 2 8000 special modules, RAL 7035 gray. Provided with adaptors for 8000 standard module	\$11.53
13533	IP55 surface enclosure for 3 Idea modules or 3 8000 special modules, RAL 7035 gray. Provided with adaptors for 8000 standard module	\$16.45
13545	IP55 surface enclosure for 4 Idea modules or 4 8000 special modules, RAL 7035 gray. Provided with adaptors for 8000 standard module	\$26.65
13731.S	IP55 3-module flush mounting box for covers 13731.Q, 13731.Q.A and 13733.Q, 13733.Q.A	\$12.60
13733.Q	IP55 cover for 3 Idea modules and 3 8000 special modules, RAL 7035 gray. Provided with adaptors for 8000 standard module. The IP55 protection degree is guaranteed with installation on waterproof smooth walls without grooves and IPX2 with open cover	\$18.60
16716	6-module mounting frame, with screws, for 6/7-module mounting boxes, gray	\$11.15




16713



17081



17082



16722

Item Number	Description	Price
IDEA Series Support Frames		
16713	3-module mounting frame, with screws, for 3-module mounting boxes, gray	\$2.65
16714	4-module mounting frame, with screws, for 4-module mounting boxes, gray	\$5.88
17081	1-module mounting frame, grooved front, with claws, for ø 60 mm round flush or 09971 surface mounting boxes, gray	\$5.65
17082	2 reduced module mounting frame, with claws, for ø 60 mm round flush or 09971 surface mounting boxes	\$5.65
16722	2-module mounting frame, grooved front, without screws, for 3-module and 60 mm fixing centres or 56x56 mm mounting boxes, gray	\$7.68

List pricing in catalog is subject to change without notice.


Vimar



16542.B



BLANK




COVERS

Item Number	Color	Material	Module	Price
IDEA Series				
16542.B	White	—	Blank	\$2.15
16786.04	White	Metal	1	\$6.73
17097.04	White	Metal	1 + 2	\$7.93
16743.04	White	Technopolymer	3	\$7.33
16744.04	White	Technopolymer	4	\$10.55
16542	Gray	—	Blank	\$2.15
16743.D.15	Gray	Silk	3	\$14.05
17097.D.15	Gray	Silk	1	\$14.75
17092.36	Chrome	Metal	1 + 2	\$41.88
16733.36	Chrome	Metal	3	\$38.15
16734.36	Chrome	Metal	4	\$53.05
16736.36	Chrome	Metal	6	\$74.75
17092.32	Gold	Metal	1 + 2	\$51.35
16734.32	Gold	Metal	4	\$53.05
16736.32	Gold	Metal	6	\$94.20
16733.32	Gold	Polymer	3	\$45.35
16734.32	Gold	Metal	4	\$66.95
16786.15	Graphite	Technopolymer	1	\$7.40
16744.15	Graphite Gray	Technopolymer	4	\$10.55
16733.34	Brushed Nickel	Metal	3	\$44.53
16734.34	Brushed Nickel	Metal	4	\$66.48
16744.D.15	Silk	Silk	4	\$21.00

ENGRAVING

Our engraving department uses state-of-the-art CNC lasers and high-speed routers to cut, engrave and create custom panels, switchboards, tags, and labels. Our engraving team will work with designers, captains, or owners to deliver a finished product that meets the highest expectations. We have the ability to work with materials from plastic to aluminum and our equipment can accommodate materials up to 8 feet in length.

- Aluminum
- Acrylic
- Reverse Engraving for a smooth surface
- Laser Engraving of Stainless Steel
- Custom Logos
- Custom Backlighting
- Replicate Existing Panels
- Hundreds of Finishes



PAINT

We use a multi-step production method which ensures we meet all quality and government safety standards. We can match any color scheme and work with designers and owner to provide a satisfactory finish every time.

Please call our Engraving Department at (954) 523-2815 ext 108 or email at steve.treaster@wardsmarine.com today to schedule an appointment.

WARD⁺S
MARINE ELECTRIC